

2. Department of Virology II

- 1) Yamashita Y, Ootsuka Y, Kondo R, Oseto M, Doi M, Miyamoto T, Ueda T, Kondo H, Tanaka T, Wakita T, Katayama K, Takeda N, Oka T. Molecular characterization of Sapovirus detected in a gastroenteritis outbreak at a wedding hall. *Journal of Medical Virology*. 2010 Apr;82(4): 720-726.
- 2) Kitajima M, Oka T, Haramoto E, Katayama H, Takeda N, Katayama K, Ohgaki S. Detection and genetic analysis of human sapoviruses in river water in Japan. *Applied and Environmental Microbiology*. 2010 Apr;76(8): 2461-2467.
- 3) Iizuka S, Oka T, Tabara K, Omura T, Katayama K, Takeda N, Noda M. Detection of sapoviruses and noroviruses in an outbreak of gastroenteritis linked genetically to shellfish. *Journal of Medical Virology*. 2010 Jul;82(7): 1247-1254.
- 4) Ueki Y, Shoji M, Okimura Y, Miyota Y, Masago Y, Oka T, Katayama K, Takeda N, Noda M, Miura T, Sano D, Omura T. Detection of sapovirus in oysters. *Microbiology and Immunology* 2010 Aug; 54(8): 483-486.
- 5) Motomura K, Yokoyama M, Ode H, Nakamura H, Mori H, Kanda T, Oka T, Katayama K, Noda M, Tanaka T, Takeda N, Sato H, and the Norovirus Surveillance Group of Japan. Divergent Evolution of Norovirus GII/4 by Genome Recombination over 2006-2009 in Japan. *Journal of Virology*. 2010 Aug; 84(16): 8085-8097.
- 6) Kitajima M, Oka T, Haramoto E, Takeda N, Katayama K, Katayama H. Seasonal distribution and genetic diversity of genogroups I, II, and IV noroviruses in the Tamagawa River, Japan. *Environmental Science & Technology*. 2010 Sep; 44(18): 7116-22.
- 7) Kitajima M, Oka T, Takagi H, Tohya Y, Katayama H, Takeda N, Katayama K. Development and application of a broadly reactive real-time reverse transcription-PCR assay for detection of murine noroviruses. *Journal of Virological Methods*. 2010 Nov;169(2): 269-273.
- 8) Bull RA, Hyde J, Mackenzie JM, Hansman GS, Oka T, Takeda N, White PA. Comparison of the replication properties of murine and human calicivirus RNA-dependent RNA polymerases. *Virus Genes*. 2011 Feb; 42(1):
- 9) Kitajima M, Oka T, Haramoto E, Phanuwat C, Takeda N, Katayama K, Katayama H. Genetic Diversity of Genogroup IV Noroviruses in Wastewater in Japan. *Letters in Applied Microbiology*. 2011 Feb; 52(2): 181-184.
- 10) Oka T, Murakami K, Wakita T, Katayama K. Comparative site-directed mutagenesis in the catalytic amino acid triad in calicivirus proteases. *Microbiology and Immunology*. 2011 Feb; 55(2): 108-114.
- 11) Oka T, Takagi H, Tohya Y, Murakami K, Takeda N, Wakita T, Katayama K. Bioluminescence technologies to detect calicivirus protease activity in cell-free system and in infected cells. *Antiviral Research*. 2011.2.18. Equb ahead of print.
- 12) Someya Y, Takeda N. Functional Consequences of Mutational Analysis of Norovirus Protease. *FEBS Lett.* 585(2): 369-374, 2011.
- 13) Shirato H. Norovirus and Histo-blood Group Antigens. *Japanese Journal of Infectious Diseases*, 64: 95-103, 2011.
- 14) Sharp, T. M., Guix, S., Katayama K., Crawford, S. E., Estes, M. K. Inhibition of Cellular Protein Secretion by Norwalk Virus Nonstructural Protein p22 Requires a Mimic of an Endoplasmic Reticulum Export Signal. *PLoS ONE* 5(10) e13130, 2010.
- 15) Arita M, Kojima H, Nagano T, Okabe T, Wakita T, Shimizu H. Phosphatidylinositol-4 kinase III beta is a target of enviroxime-like compounds for anti-poliovirus activity. *J Virol* 85 (5): 2364-2372. 2011.
- 16) Himeda T, Hosomi T, Asif N, Shimizu H, Okuda T, Muraki Y, Ohara Y: The preparation of an infectious full-length cDNA clone of Saffold virus. *Virol J* 8: 110, 2011.
- 17) Sun LM, Zheng HY, Zheng HZ, Guo X, He JF, Guan DW, Kang M, Liu Z, Ke CW, Li JS, Liu L, Guo RN, Yoshida H, Lin JY. An enterovirus 71 epidemic in guangdong province of china, 2008: epidemiological, clinical, and virogenic manifestations. *Jpn J Infect Dis* 64 (1): 13-18. 2011.
- 18) Miyamura K, Nishimura Y, Abo M, Wakita T, Shimizu

- H: Adaptive mutations in the genomes of enterovirus 71 strains following infection of mouse cells expressing human P-selectin glycoprotein ligand-1. *J Gen Virol* 92(2): 287-291. 2011.
- 19) Pham NTK, Takanashi S, Tran DN, Abeysekera C, Abeygunawardene A, Khamrin P, Okitsu S, Shimizu H, Mizuguchi M, Ushijima H. Human parechovirus infection in children hospitalized with acute gastroenteritis in Sri Lanka. *J Clin Microbiol* 49(1): 364-366. 2011.
- 20) Nishimura K, Wakita T, Shimizu H. Tyrosine sulfation of the amino terminus of PSGL-1 is critical for enterovirus 71 infection. *PLoS Pathog* 6(11): e1001174. 2010.
- 21) Arita M, Masujima S, Wakita T, Shimizu H. Development of a particle agglutination method with soluble virus receptor for identification of poliovirus. *J Clin Microbiol* 48(8): 2698-2702. 2010.
- 22) Miyoshi M, Yoshizumi S, Jinushi M, Ishida S, Okui T, Okano M, Shouji M, Tanaka S, Saigusa J, Mori A, Tanabe H, Yamaguchi R, Nishimura Y, Shimizu H. A case of paralytic poliomyelitis associated with poliovirus vaccine strains in Hokkaido, Japan. *Jpn J Infect Dis* 63(3):216-217. 2010.
- 23) Arita M, Takebe Y, Wakita T, Shimizu H. A bifunctional anti-enterovirus compound that inhibits replication and early stage of enterovirus 71 infection. *J Gen Virol.* 91 (11): 2734-44. 2010.
- 24) Murayama A, Weng L, Date T, Akazawa D, Tian X, Suzuki T, Kato T, Tanaka Y, Mizokami M, Wakita T, Toyoda T: RNA Polymerase Activity and Specific RNA Structure are Required for Efficient HCV Replication in Cultured Cells. *PLoS Pathog.* 2010 Apr 29; 6(4): e1000885.
- 25) Takahashi H, Akazawa D, Kato T, Date T, Shirakura M, Nakamura N, Mochizuki H, Tanaka-Kaneko K, Sata T, Tanaka Y, Mizokami M, Suzuki T, Wakita T. Biological properties of purified recombinant HCV particles with an epitope-tagged envelope. *Biochem Biophys Res Commun.* 395: 565-71, 2010.
- 26) Masaki T, Suzuki R, Saeed M, Mori K, Matsuda M, Aizaki H, Ishii K, Maki N, Miyamura T, Matsuura Y, Wakita T, Suzuki T. Production of infectious hepatitis C virus by using RNA polymerase I-mediated transcription. *J Virol* 2010;84: 5824-5835.
- 27) Yamamoto M, Sakamoto N, Nakamura T, Itsui Y, Nakagawa M, Nishimura-Sakurai Y, Kakinuma S, Azuma S, Tsuchiya K, Kato T, Wakita T, Watanabe M. Studies on virus kinetics using infectious fluorescence-tagged hepatitis C virus cell culture. *Hepatol Res.* 41: 258-69, 2011.
- 28) Watashi K, Yeung ML, Starost MF, Hosmane RS, Jeang KT. Identification of small molecules that suppress microRNA function and reverse tumorigenesis. *J Biol Chem* 285(32): 24707-24716, 2010.
- 29) Watashi K. Alisporivir, a cyclosporin derivative that selectively inhibits cyclophilin, for the treatment of HCV infection. *Curr Opin Investig Drugs* 11(2): 213-224, 2010.
- 30) Weng L, Hirata Y, Arai M, Kohara M, Wakita T, Watashi K, Shimotohno K, He Y, Zhong J, Toyoda T. Sphingomyelin activates hepatitis C virus RNA polymerase in a genotype-specific manner. *J Virol* 84(22): 11761-11770, 2010.
- 31) Moriishi K, Shoji I, Mori Y, Suzuki R, Suzuki T, Kataoka C, Matsuura Y. Involvement of PA28gamma in the propagation of hepatitis C virus. *Hepatology*. 52: 411-420, 2010.
- 32) Watanabe N, Aizaki H, Matsuura T, Kojima S, Wakita T, Suzuki T : Hepatitis C virus RNA replication in human stellate cells regulates gene expression of extracellular matrix-related molecules, *Biochem. Biophys. Res. Commun*, 407: 135-40,2011.
- 33) Inoue Y, Aizaki H, Hara H, Matsuda M, Ando T, Shimoji T, Murakami K, Masaki T, Shoji I, Homma S, Matsuura Y, Miyamura T, Wakita T, Suzuki T. Chaperonin TRiC/CCT participates in replication of hepatitis C virus genome via interaction with the viral NS5B protein. *Virology*. 410: 38-47, 2011.
- 34) Hmwe SS, Aizaki H, Date T, Murakami K, Ishii K, Miyamura T, Koike K, Wakita T, Suzuki T. Identification of hepatitis C virus genotype 2a replicon variants with reduced susceptibility to ribavirin. *Antiviral Res.* 85: 520-4,

2010.

- 35) Xing L., Wang J.C., Li T.C., Yasutomi Y., Lara J., Khudyakov Y., Schofield D., Emerson S.U., Purcell R.H., Takeda N., Miyamura T., Cheng R.H. Spatial configuration of hepatitis E virus antigenic domain. *Journal of Virology*, 85: 1117-1124, 2011.
- 36) Li T.C., Song S. Yang Q., Ishii K., Takeda N., and Wakita T. A cell culture system for hepatitis E virus. *Hepatology International*. 5: 202, 2011.
- 37) Ishii K., Kiyohara T., Yoshizaki S., Shimada T., Nakamura N., Tada Y., Noda M. and Wakita T. Epidemiological and genetic analysis of a diffuse outbreak of hepatitis A in Japan, 2010. *Hepatology International*. 5: 204-205 , 2011.
- 38) Akazawa D., Morikawa K., Omi N., Takahashi H., Nakamura N., Mochizuki H., Date T., Ishii K., Suzuki T. and Wakita T. Production and Characterization of Hepatitis C Virus Particles from Serum-free Culture. *Vaccine*, 29: 4821-4828, 2011.
- 39) Yoshida T., Miyasaka T., Azegami Y., Uchiyama Y., Kasahara H., Ueda H., Nagase H., Fujita S., Ishii K. and Noda M. Investigation of epidemiology and HAV genomes regarding three hepatitis A infections that occurred in April-May, 2010-Nagano. *Japanese Journal of Infectious Diseases*, 64: 260-261, 2011.
- 40) Yang L., Kiyohara T., Kanda T., Imazeki F., Fujiwara K., Gauss-Muller V., Ishii K., Wakita T., Yokosuka O. Inhibitory effects on HAV IRES-mediated translation and replication by a combination of amantadine and interferon-alpha. *Virology Journal*, 7: 212, 2010.
- 41) Zhang Y.Y., Zhang B.H., Ishii K. and Liang T. J. A novel function of CD81 in controlling hepatitis C virus replication. *Journal of Virology*, 84: 3396-3407, 2010.
- 42) Li T.C., Xing L., Mayazaki N., Simon M.N., Wall J.S., Moore M., Wang C.Y., Takeda N., Wakita T., Miyamura T., Cheng R.H. Structure of hepatitis E virion-sized particle reveals an RNA-dependent viral assembly pathway. *Journal of Biological Chemistry*, 285: 33175-33183, 2010.
- 43) Mori K., Ikeda M., Ariumi Y., Dansako H., Wakita T., Kato N. Mechanism of action of ribavirin in a novel hepatitis C virus replication cell system. *Virus Res*. 2011 157(1): 61-70
- 44) Ariumi Y., Kuroki M., Maki M., Ikeda M., Dansako H., Wakita T., Kato N. The ESCRT system is required for hepatitis C virus production. *PLoS One*. 2011 Jan 11;6(1): e14517.
- 45) Hishiki T., Shimizu Y., Tobita R., Sugiyama K., Ogawa K., Funami K., Ohsaki Y., Fujimoto T., Takaku H., Wakita T., Baumert TF., Miyanari Y., Shimotohno K. Infectivity of hepatitis C virus is influenced by association with apolipoprotein E isoforms. *J Virol*. 2010 84(22): 12048-57.
- 46) von dem Bussche A., Machida R., Li K., Loewinsohn G., Khander A., Wang J., Wakita T., Wands JR., Li J. Hepatitis C virus NS2 protein triggers endoplasmic reticulum stress and suppresses its own viral replication. *J Hepatol*. 2010 53(5): 797-804.
- 47) Mishima K., Sakamoto N., Sekine-Osajima Y., Nakagawa M., Itsui Y., Azuma S., Kakinuma S., Kiyohashi K., Kitazume A., Tsuchiya K., Imamura M., Hiraga N., Chayama K., Wakita T., Watanabe M. Cell culture and in vivo analyses of cytopathic hepatitis C virus mutants. *Virology*. 2010 405(2): 361-9.
- 48) Podevin P., Carpentier A., Pène V., Aoudjehane L., Carrière M., Zaïdi S., Hernandez C., Calle V., Méritet JF., Scatton O., Dreux M., Cosset FL., Wakita T., Bartenschlager R., Demignot S., Conti F., Rosenberg AR., Calmus Y. Production of infectious hepatitis C virus in primary cultures of human adult hepatocytes. *Gastroenterology*. 2010 139(4): 1355-64.
- 49) Kushima Y., Wakita T., Hijikata M. A disulfide-bonded dimer of the core protein of hepatitis C virus is important for virus-like particle production. *J Virol*. 2010 84(18): 9118-27.
- 50) Banaudha K., Orenstein JM., Korolnek T., St Laurent GC 3rd, Wakita T., Kumar A. Primary hepatocyte culture supports hepatitis C virus replication: a model for infection-associated hepatocarcinogenesis. *Hepatology*. 2010 51(6): 1922-32.
- 51) Shirasaki T., Honda M., Mizuno H., Shimakami T., Okada H., Sakai Y., Murakami S., Wakita T., Kaneko S. La protein required for internal ribosome entry site-directed

translation is a potential therapeutic target for hepatitis C virus replication. *J Infect Dis.* 2010;202(1): 75-85.

52) Arnaud N, Dabo S, Maillard P, Budkowska A, Kalliamvakou KI, Mavromara P, Garcin D, Hugon J, Gatignol A, Akazawa D, Wakita T, Meurs EF. Hepatitis C virus controls interferon production through PKR activation. *PLoS One.* 2010;5(5): e10575.

53) Perera D, Shimizu H, Yoshida H, Tu PV, Ishiko H, McMinn PC, Cardosa MJ: A comparison of the VP1, VP2, and VP4 regions for molecular typing of human enteroviruses. *J Med Virol* 82: 649-657, 2010