

3. Department of Virology III

1. Sakai K, Nagata N, Ami Y, Seki F, Suzaki Y, Iwata-Yoshikawa N, Suzuki T, Fukushi S, Mizutani T, Yoshikawa T, Otsuki N, Kurane I, Komase K, Yamaguchi R, Hasegawa H, Saijo M, Takeda M, Morikawa S. (2013) Lethal canine distemper virus outbreak in cynomolgus monkeys in Japan in 2008. *J. Virol.* 87:1105-14.
2. Sakai K, Yoshikawa T, Seki F, Fukushi S, Tahara M, Nagata N, Ami Y, Mizutani T, Kurane I, Yamaguchi R, Hasegawa H, Saijo M, Komase K, Morikawa S, Takeda M. (2013) Canine distemper virus associated with a lethal outbreak in monkeys can readily adapt to use human receptors. *J Virol.* 87:7170-5.
3. Sakai K, Ami Y, Tahara M, Kubota T, Anraku M, Abe M, Nakajima N, Sekizuka T, Shirato K, Suzaki Y, Aina A, Nakatsu Y, Kanou K, Nakamura K, Suzuki T, Komase K, Nobusawa E, Maenaka K, Kuroda M, Hasegawa H, Kawaoka Y, Tashiro M, Takeda M. (2014) The Host Protease TMPRSS2 Plays a Major Role in In Vivo Replication of Emerging H7N9 and Seasonal Influenza Viruses. *J Virol.* 88:5608-16.
4. Tahara M, Ito Y, Brindley M, Ma X, He J, Xu S, Fukuhara H, Sakai K, Komase K, Rota P, Plemper R, Maenaka K, Takeda M. (2013) Functional and structural characterization of neutralizing epitopes of measles virus hemagglutinin protein. *J. Virol.* 87:666-75.
5. Tahara M, Ohno S, Sakai K, Ito Y, Fukuhara H, Komase K, Brindley MA, Rota PA, Plemper RK, Maenaka K, Takeda M. (2013) The receptor-binding site of the measles virus hemagglutinin protein itself constitutes a conserved neutralizing epitope. *J Virol.* 87:3583-6.
6. Nakatsu Y, Ma X, Seki F, Suzuki T, Iwasaki M, Yanagi Y, Komase K, Takeda M. (2013) Intracellular transport of the measles virus RNP complex is mediated by Rab11A-positive recycling endosomes and drives virus release from the apical membrane of polarized epithelial cells. *J Virol.* 87:4683-93.
7. Nakatsu Y, Matsuoka M, Chang TH, Otsuki N, Noda M, Kimura H, Sakai K, Kato H, Takeda M, Kubota T. (2014) Functionally Distinct Effects of the C-Terminal Regions of IKK ϵ and TBK1 on Type I IFN Production. *PLoS One.* 9:e94999.
8. Otsuki N, Sekizuka T, Seki F, Sakai K, Kubota T, Nakatsu Y, Chen S, Fukuhara H, Maenaka K, Yamaguchi R, Kuroda M, Takeda M. (2013) Canine distemper virus with the intact C protein has the potential to replicate in human epithelial cells by using human nectin4 as a receptor. *Virology.* 435:485-92.
9. Otsuki N, Nakatsu Y, Kubota T, Sekizuka T, Seki F, Sakai K, Kuroda M, Yamaguchi R, Takeda M. (2013) The V protein of canine distemper virus is required for virus replication in human epithelial cells. *PLoS One* 8:e82343.
10. Sakata M, Otsuki N, Okamoto K, Anraku M, Nagai M, Takeda M, Mori Y. (2014) Short Self-interacting N-terminal Region of Rubella Virus Capsid Protein Is Essential for Cooperative Actions of Capsid and Nonstructural p150 Proteins. *J Virol.* (in press)
11. Abo H, Okamoto K, Anraku M, Otsuki N, Sakata M, Icenogle J, Zheng Q, Kurata T, Kase T, Komase K, Takeda M, Mori Y. (2014) Development of an improved RT-LAMP assay for detection of currently circulating rubella viruses. *J Virol Methods.* 24:207C:73-77.
12. Katoh H, Okamoto T, Fukuhara T, Kambara H, Morita E, Mori Y, Kamitani W, Matsuura Y. Japanese encephalitis virus core protein inhibits stress granule formation through an interaction with Caprin-1 and facilitates viral propagation. *J. Virol.*, 2013; 87(1):489-502.
13. Shirato K, Kawase M, Matsuyama S. (2013). (Middle

East Respiratory Syndrome Coronavirus (MERS-CoV) Infection Mediated by the Transmembrane Serine Protease TMPRSS2. *J. Virol.* 87(23):12552-61.

14. [Abe M](#), [Tahara M](#), [Sakai K](#), Yamaguchi H, Kanou K, [Shirato K](#), [Kawase M](#), Noda M, Kimura H, [Matsuyama S](#), Fukuhara H, Mizita K, Maenaka K, Ami Y, Esumi M, Kato A, [Takeda M](#). (2013) TMPRSS2 is an activating protease for respiratory parainfluenza viruses. *J Virol.* 87:11930-5.
15. Takaki H, [Takeda M](#), [Tahara M](#), Shingai M, Oshiumi H, Matsumoto N, Seya T. (2013) MyD88 pathway in plasmacytoid and CD4⁺ dendritic cells primarily triggers type I interferon production against measles virus in a mouse infection model. *J Immunol.* 191:4740-7.
16. Otani S, Ayata M, Takeuchi K, [Takeda M](#), Shintaku H, and Ogura H. (2014) Biased hypermutation occurred frequently in a gene inserted into the IC323 recombinant measles virus during its persistence in the brains of nude. *Virology.* 462-463:91-7.
17. Ikeno S, Suzuki M, Muhsen M, Ishige M, Kobayashi M, Ohno S, [Takeda M](#), Nakayama T, Morikawa Y, Terahara K, Okada S, Takeyama H, Yokota YT. (2013) Sensitive detection of measles virus infection in the blood and tissues of humanized mouse by one-step quantitative RT-PCR. *Front Microbiol.* 4:298.
18. Krumm SA, [Takeda M](#), Plemper RK. (2013) The measles virus nucleocapsid protein tail domain is dispensable for viral polymerase recruitment and activity. *J Biol Chem.* 288:29943-53.
19. Ito M, Iwasaki M, [Takeda M](#), Nakamura T, Yanagi Y, Ohno S. (2013) Measles virus non-structural C protein modulates viral RNA polymerase activity by interacting with a host protein SHCBP1. *J Virol.* 87:9633-42.
20. Nakayama T, Sawada A, Kubo H, Kaida A, Tanaka T, Shigemoto N, [Komase K](#), [Takeda M](#). (2013) Simple method for differentiating measles vaccine from wild-type strains using loop-mediated isothermal amplification. *Microbiol Immunol.* 57:246-51.
21. Taya K, Satoh H, Arai S, Yamagishi T, Tahata Y, Nakashima K, Sugawara T, Ohkusa Y, Matsui T, Saito T, Kanou K, Shimada T, Kinoshita H, Yamashita K, Yasui Y, Tada Y, [Mori Y](#), [Takeda M](#), Sunagawa T, Oishi K, Strebel P, Schluter WW, Kamiya H, Reef SE, Chu SY, Martin R. (2013) Nationwide rubella epidemic - Japan, 2013. *MMWR.* 62:457-462.
22. Tripathi LP, Kambara H, Chen YA, Nishimura Y, Moriishi K, Okamoto T, Morita E, Abe T, [Mori Y](#), Matsuura Y, Mizuguchi K. Understanding the biological context of NS5A-host interactions in HCV infection: a network-based approach. *J. Proteome Res.* 2013; 12(6), 2537-2551.
23. Kimura T, [Katoh H](#), Kayama H, Saiga H, Okuyama M, Okamoto T, Umemoto E, Matsuura Y, Yamamoto M, Takeda K. Ifit1 inhibits Japanese encephalitis virus replication through binding to 5' capped 2' -O unmethylated RNA. *J. Virol.*, 87(18), 9997-10003. 2013
24. Nagata S, Maedera T, Nagata N, [Kidokoro M](#), Takeuchi K, Kuranaga M, [Takeda M](#), Kato A. (2013) Comparison of the live attenuated mumps vaccine (Miyahara Strain) with its parent in preadapted position of attenuation process. *Journal of Vaccines & Immunization* [in press]
25. Sato H, Jing C, Isshiki M, Matsuo K, [Kidokoro M](#), Takamura S, Zhang X, Ohashi T, Shida H. Immunogenicity and safety of the vaccinia virus LC16m8 Δ vector expressing SIV Gag under a strong or moderate promoter in a recombinant BCG prime-recombinant vaccinia virus boost protocol. *Vaccine* 31, 3549-3557 (2013).
26. Kotani O, [Shirato K](#), Nagata N, Ikeda H, Takahashi K, Taguchi F. (2013). Neuropathogenesis of a

mouse-adapted porcine epidemic 1 diarrhea virus
infection in suckling mice. J. Gen Virol.
94:831-6