

## 7 . Department of Pathology

- 1) Dewan MZ, Tomita M, Katano H, Yamamoto N, Ahmed S, Yamamoto M, Sata T, Mori N, Yamamoto N. An HIV protease inhibitor, ritonavir targets the nuclear factor-kappaB and inhibits the tumor growth and infiltration of EBV-positive lymphoblastoid B cells. *Int J Cancer.* 2009, 124:622-9.
- 2) Takahashi H, Kitagawa Y, Maeda-Satoh M, Hasegawa H, Sawa H, Sata T. Monoclonal antibody and siRNAs for topoisomerase I suppress telomerase activity. *Hybridoma (Larchmt)* 2009, 28:63-5.
- 3) Mitsuishi T, Nakatake M, Kaneko T, Ohara K, Kato T, Iida, K, Iwabu Y, Tokunaga K, Sata T, Kawana S, Yamada O. Evaluation of Telomerase Activity in Nongenital Bowen's Disease. *J Eur Acad Dermatol Venereol* 2009, 23:668-72.
- 4) Takahashi Y, Hasegawa H, Hara Y, Ato M, Ninomiya A, Takagi H, Odagiri T, Sata T, Tashiro M, Kobayashi K. Protective Immunity Afforded by Inactivated H5N1 (NIBRG-14) Vaccine Requires Antibodies against Both Hemagglutinin and Neuraminidase in Mice. *J Infect Dis* 2009, 199:1629-37.
- 5) Hayasaka D, Nagata N, Fujii Y, Hasegawa H, Sata T, Suzuki R, Gould EA, Takashima I, Koike S. Mortality following peripheral infection with tick-borne encephalitis virus results from a combination of central nervous system pathology, systemic inflammatory and stress responses. *Virology* 2009, 390:139-50.
- 6) Tobiume M, Sato Y, Katano H, Nakajima N, Tanaka K, Noguchi A, Inoue S, Hasegawa H, Iwasa Y, Tanaka J, Hayashi H, Yoshida S, Kurane I, Sata T. Rabies virus dissemination in neural tissues of autopsy cases due to rabies imported into Japan from the Philippines. immunohistochemistry. *Pathol Int* 2009, 59:555-66.
- 7) Saijo M, Ami Y, Suzuki Y, Nagata N, Iwata N, Hasegawa H, Iizuka I, Shiota T, Sakai K, Ogata M, Fukushi S, Mizutani T, Sata T, Kurata T, Kurane I, Morikawa S. Virulence and pathophysiology of the Congo Basin and West African strains of monkeypox virus in non-human primates. *J Gen Virol* 2009, 90:2266-71.
- 8) Kawaguchi A, Orba Y, Kimura T, Iha H, Ogata M, Tsuji T, Ainai A, Sata T, Okamoto T, Hall WW, Sawa H, Hasegawa H. Inhibition of the SDF-1alpha-CXCR4 axis by the CXCR4 antagonist AMD3100 suppresses the migration of cultured cells from ATL patients and murine lymphoblastoid cells from HTLV-I Tax transgenic mice. *Blood* 2009, 114:2961-8.
- 9) Ichinohe T, Ainai A, Tashiro M, Sata T, Hasegawa H. PolyI:polyC12U adjuvant-combined intranasal vaccine protects mice against highly pathogenic H5N1 influenza virus variants. *Vaccine* 2009, 27:6276-9.
- 10) Morimoto T, Arii J, Tanaka M, Sata T, Akashi H, Yamada M, Nishiyama Y, Uema M, Kawaguchi Y. Differences in the regulatory and functional effects of the Us3 protein kinase activities of herpes simplex virus 1 and 2. *J Virol* 2009, 83:11624-34.
- 11) Katano H, Ito H, Suzuki Y, Nakamura T, Sato Y, Tsuji T, Matsuo K, Nakagawa H, Sata T. Detection of Merkel cell polyomavirus in Merkel cell carcinoma and Kaposi's sarcoma. *J Med Virol* 2009, 81:1951-8.
- 12) Takahashi H, Ohtaki N, Maeda-Sato M, Tanaka M, Tanaka K, Sawa H, Ishikawa T, Takamizawa A, Takasaki T, Hasegawa H, Sata T, Hall WW, Kurata T, Kojima A. Effects of the number of amino acid residues in the signal segment upstream or downstream of the NS2B-3 cleavage site on production and secretion of prM/M-E virus-like particles of West Nile virus. *Microbes Infect* 2009, 11:1019-28.
- 13) Kitagawa Y, Maeda-Sato M, Tanaka K, Tobiume M, Sawa H, Hasegawa H, Kojima A, Hall WW, Kurata T, Sata T, Takahashi H. Covalent bonded Gag multimers in human immunodeficiency virus type-1 particles. *Microbiol Immunol* 2009, 53:609-20.
- 14) Iwabu Y, Fujita H, Kinomoto M, Kaneko K, Ishizaka Y, Tanaka Y, Sata T, Tokunaga K. HIV-1 accessory protein Vpu internalizes cell-surface BST-2/tetherin through transmembrane interactions leading to lysosomes. *J Biol Chem* 2009, 284:35060-72.

- 15) Hasegawa H, Ichinohe T, Ainai A, Tamura S, Kurata T. Development of an inactivated mucosal vaccine for H5N1 influenza virus. *Ther Clin Risk Manag* 2009, 5:125-32.
- 16) Ishii K, Hasegawa H, Nagata N, Ami Y, Fukushi S, Taguchi F, Tsunetsugu-Yokota Y. Neutralizing antibody against severe acute respiratory syndrome (SARS)-coronavirus spike is highly effective for the protection of mice in the murine SARS model. *Microbiol Immunol* 2009, 53:75-82.
- 17) Utachee P, Jinnopat P, Isarangkura-na-ayuthaya P, Chandimal de Silva U, Nakamura S, Siripanyaphinyo U, Wichukchinda N, Tokunaga K, Yasunaga T, Sawanpanyalert P, Ikuta K, Auwanit W, Kameoka M. Genotypic Characterization of CRF01\_AE env Genes Derived from Human Immunodeficiency Virus Type 1-Infected Patients Residing in Central Thailand. *AIDS Res Hum Retroviruses* 2009, 25:229-36.
- 18) Utachee P, Jinnopat P, Isarangkura-na-ayuthaya P, Chandimal de Silva U, Nakamura S, Siripanyaphinyo U, Wichukchinda N, Tokunaga K, Yasunaga T, Sawanpanyalert P, Ikuta K, Auwanit W, Kameoka M. Phenotypic studies on recombinant human immunodeficiency virus type 1 (HIV-1) containing CRF01\_AE env gene derived from HIV-1-infected patient, residing in central Thailand. *Microbes Infect* 2009, 11:334-43.
- 19) Kataoka M, Yamamoto A, Ochiai M, Harashima A, Nagata N, Hasegawa H, Kurata T, Horiuchi Y. Comparison of acellular pertussis-based combination vaccines by Japanese control tests for toxicities and laboratory models for local reaction. *Vaccine* 2009, 27: 1881-8.
- 20) Dabaghmanesh N, Matsubara A, Miyake A, Nakano K, Ishida T, Katano H, Horie R, Umezawa K, Watanabe T. Transient inhibition of NF-kappaB by DHMEQ induces cell death of primary effusion lymphoma without HHV-8 reactivation. *Cancer Sci* 2009, 100:737-46.
- 21) Iizuka I, Saijo M, Shiota T, Ami Y, Suzuki Y, Nagata N, Hasegawa H, Sakai K, Fukushi S, Mizutani T, Ogata M, Nakauchi M, Kurane I, Mizuguchi M, Morikawa S. Loop-mediated isothermal amplification-based diagnostic assay for monkeypox virus infections. *J Med Virol* 2009, 81:1102-8.
- 22) Yoshikawa N, Yoshikawa T, Hill T, Huang C, Watts DM, Makino S, Milligan G, Chan T, Peters CJ, Tseng CT. Differential virological and immunological outcome of severe acute respiratory syndrome-coronavirus (SARS-CoV) infection in susceptible and resistant transgenic mice expressing human angiotensin-converting enzyme 2. *J. Virol.* 2009, 83(11): 5451-65.
- 23) Yamada S, Nozawa N, Katano H, Fukui Y, Tsuda M, Tsutsui Y, Kurane I, Inoue N. Characterization of the guinea pig cytomegalovirus genome locus that encodes homologs of human cytomegalovirus major immediate-early genes, UL128, and UL130. *Virology* 2009, 391:99-106.
- 24) Takahashi-Makise N, Suzu S, Hiyoshi M, Ohsugi T, Katano H, Umezawa K, Okada S. Biscoclaurine alkaloid cepharanthine inhibits the growth of primary effusion lymphoma in vitro and in vivo and induces apoptosis via suppression of the NF-kappaB pathway. *Int J Cancer* 2009, 125:1464-72.
- 25) Cheng B, Martinez FP, Katano H, Tang Q. Evidence of inability of human cytomegalovirus to reactivate Kaposi's sarcoma-associated herpesvirus from latency in body cavity-based lymphocytes. *J Clin Virol* 2009, 46:244-8.
- 26) Yamazaki J, Mizukami T, Takizawa K, Kuramitsu M, Momose H, Masumi A, Ami Y, Hasegawa H, Hall W. W, Tsujimoto H, Hamaguchi I, Yamaguchi K. Identification of Cancer Stem Cells in a Tax-transgenic (Tax-Tg) Mouse Model of Adult T- Cell Leukemia / lymphoma (ATL). *Blood* 2009, 114:2709-20.
- 27) Hoshino Y, Katano H, Zou P, Hohman P, Marques A, Tyring SK, Follmann D, Cohen JI. Long-term administration of valacyclovir reduces the number of Epstein-Barr virus (EBV)-infected B cells but not the number of EBV DNA copies per B cell in healthy

- 28) Jinnopat P, Isarangkura-na-ayuthaya P, Utachee P, Kitagawa Y, Chandimal de Silva U, Siripanyaphinyo U, Kameoka Y, Tokunaga K, Sawanpanyalert P, Ikuta K, Auwanit W, Kameoka M. Impact of amino acid variations in Gag and protease of HIV Type 1 CRF01\_AE strains on drug susceptibility of virus to protease inhibitors. *J Acquir Immune Defic Syndr* 2009, 52:320-8.
- 29) Dean J, Hashimoto K, Tsuji T, Gautier V, Hall WW, Sheehy N. Functional interaction of HTLV-1 tax protein with the POZ domain of the transcriptional repressor BCL6. *Oncogene* 2009, 28:3723-34.
- 30) Abe K. Pathology of hepadna virus infection in humans and animals. *Thai J Vet Med* 2009, 39:453-5.
- 31) Abe K, Thung SN, Wu H-C, Tran TT, Hoang PL, Truong KD, Inui A, Jang JJ, Su I-J. Pre-S2 deletion mutants of hepatitis B virus could have an important role in hepatocarcinogenesis in Asian children. *Cancer Sci* 2009, 100:2249-54.
- 32) Fukuda S, Iwamaru Y, Imamura M, Masujin K, Shimizu Y, Matsuura Y, Shu Y, Kurachi M, Kasai K, Murayama Y, Onoe S, Hagiwara K, Sata T, Mohri S, Yokoyama T, Okada H.: Intraspecies transmission of L-type-like Bovine Spongiform Encephalopathy detected in Japan. *Microbiol Immunol* 2009, 53:704-7.