

1 . Department of Virology I

- 1) Tani, H., Morikawa, S., Matsuura, Y. (2011): Development and applications of VSV vectors based on cell tropism. *Front. Microbiol.*, 2, 272.
- 2) Kataoka, C., Kaname, Y., Taguwa, S., Abe, T., Fukuhara, T., Tani, H., Moriishi, K., Matsuura, Y. (2011): Baculovirus GP64-mediated entry into mammalian cells. *J. Virol.*, 86, 2610-2620.
- 3) Yoshida, T., Takayama, K., Kondoh, M., Sakurai, F., Tani, H., Sakamoto, N., Matsuura, Y., Mizuguchi, H., Yagi, K. Use of human hepatocyte-like cells derived from induced pluripotent stem cells as a model for hepatocytes in hepatitis C virus infection. (2011): *Biochem. Biophys. Res. Commun.*, 416, 119-124.
- 4) Fukuhara, T., Tani, H., Shiokawa, M., Goto, Y., Abe, T., Taketomi, A., Shirabe, K., Maehara, Y., Matsuura, Y. (2011): Intracellular delivery of serum-derived hepatitis C virus. *Microbes Infect.*, 13, 405-412.
- 5) Kambara, H., Tani, H., Mori, Y., Abe, T., Katoh, H., Fukuhara, T., Taguwa, S., Moriishi, K., Matsuura, Y. (2011): Involvement of cyclophilin B in the replication of Japanese encephalitis virus. *Virology*, 412, 211-219.
- 6) Taniguchi, S., Watanabe, S., Masangkay, J.S., Omatsu, T., Ikegami, T., Alviola, P., Ueda, N., Iha, K., Fujii, H., Ishii, Y., Mizutani, T., Fukushima, S., Saijo, M., Kurane, I., Kyuwa, S., Akashi, H., Yoshikawa, Y., Morikawa, S. (2011): Reston ebolavirus antibodies in bats, the Philippines. *Emerg. Infect. Dis.*, 17, 1559-1560.
- 7) Sayama, Y., Eshita, Y., Yamao, T., Nishimura, M., Satho, T., Srisawat, R., Komalamisra, N., Rongsriyam, Y., Sakai, K., Fukushima, S., Saijo, M., Oshitani, H., Kurane, I., Morikawa, S., Mizutani, T. (2011): Prevalence of Phasi Charoen virus in female mosquitoes. *J. Parasitol. Vector Biol*, 3, 19-21.
- 8) Kennedy, J.S., Gurwith, M., Dekker, C.L., Frey, S.E., Edwards, K.M., Kenner, J., Lock, M., Empig, C., Morikawa, S., Saijo, M., Yokote, H., Karem, K., Damon, I., Perlroth, M., and Greenberg, R.N. (2011): Safety and immunogenicity of LC16m8, an attenuated smallpox vaccine in vaccinia-naive adults. *J. Infect. Dis.*, 204(9), 1395-1402.
- 9) Shirato, K., Maeda, K., Tsuda, S., Suzuki, K., Watanabe, S., Shimoda, H., Ueda, N., Iha, K., Taniguchi, S., Kyuwa, S., Endoh, D., Matsuyama, S., Kurane, I., Saijo, M., Morikawa, S., Yoshikawa, Y., Akashi, H., Mizutani, T. (2012): Detection of bat coronaviruses from *Miniopterus fuliginosus* in Japan. *Virus Genes*, 44, 40-44.
- 10) Abe, M. Ito, N. Sakai, K. Kaku, Y. Oba, M. Nishimura, M. Kurane, I. Saijo, M. Morikawa, S. Sugiyama, M. Mizutani, T. (2011): A novel sapelovirus-like virus isolated from wild boar. *Virus Genes*, 43, 243-248.
- 11) Shiota, T., Wang, L., Takayama-Ito, M., Iizuka, I., Ogata, M., Tsuji, M., Nishimura, H., Taniguchi, S., Morikawa, S., Kurane, I., Mizuguchi, M., Saijo, M. (2011): Expression of herpes simplex virus type 1 recombinant thymidine kinase and its application to a rapid antiviral sensitivity assay. *Antiviral Res.* 91, 142-149.
- 12) Shiota, T., Kurane, I., Morikawa, S., Saijo, M. (2011): Long-term observation of herpes simplex virus type 1 (HSV-1) infection in a child with Wiskott-Aldrich syndrome and a possible reactivation mechanism for thymidine kinase-negative HSV-1 in humans. *Jpn. J. Infect. Dis.*, 64:121-126.
- 13) Mizutani, T. Sayama, Y. Nakanishi, A. Ochiai, H. Sakai, K. Wakabayashi, K. Tanaka, N. Miura, E. Oba, M. Kurane, I. Saijo, M. Morikawa, S. Ono, S.I. (2011): Novel DNA virus isolated from samples showing endothelial cell necrosis in the Japanese eel, *Anguilla japonica*. *Virology*, 412(1), 179-187.

- 14) Moi, M.L., Lim C.K., Tajima S., Kotaki A., Saijo M., Takasaki T., Kurane I. (2011): Dengue virus isolation relying on antibody-dependent enhancement mechanism using Fc γ R-expressing BHK cells and a monoclonal antibody with infection-enhancing capacity. *J. Clin. Virol.* 52(3), 225-230.
- 15) Omatsu, T., Moi, M.L., Hirayama, T., Takasaki, T., Nakamura, S., Tajima, S., Ito, M., Yoshida, T., Saito, A., Katakai, Y., Akari, H., Kurane, I. (2011): Common marmoset (*Callithrix jacchus*) as a primate model of dengue virus infection: development of high levels of viremia and demonstration of protective immunity. *J. Gen. Virol.*, 92, 2272-2280.
- 16) Ujiie, M., Moi, M.L., Takeda, N. (2011): Dengue maculopathy in a traveler. *Am. J. Trop. Med. Hyg.* 85(6), 965-966.
- 17) Moi, M.L., Lim, C.K., Kotaki, A., Takasaki, T., Kurane, I. (2011): Detection of higher levels of dengue viremia using Fc γ R-expressing BHK-21 cells than Fc γ R-negative cells in secondary infection but not in primary infection. *J. Infect. Dis.*, 203(10), 1405-1414.
- 18) Yamaguchi, Y., Nukui, Y., Tajima, S., Nerome, R., Kato, F., Watanabe, H., Takasaki, T., Kurane, I. (2011): An amino acid substitution (V3I) in the Japanese encephalitis virus NS4A protein increases its virulence in mice, but not its growth rate in vitro. *J. Gen. Virol.*, 92, 1601-1606.
- 19) Kato, F., Kotaki, A., Yamaguchi, Y., Shiba, H., Hosono, K., Harada, S., Saijo, M., Kurane, I., Takasaki, T., Tajima, S. (2012): Identification and characterization of the short variable region of the Japanese encephalitis virus 3' NTR. *Virus Genes*, 44, 191-197.
- 20) Ooi, Y., Daitoku, E., Wu, H., Aoki, H., Morita, C., Nakano, T., Kohno, T., Takasaki, T., Sano, K. (2011): Morphology and infectivity of virus that persistently infected an AGS cell line. *Med. Mol. Morphol.*, 44(4), 213-220.
- 21) Tarumoto, N., Abe, Y., Yamaguchi, T., Takasaki, T., Kurane, I., Maesaki, S. (2011): Dengue fever as an acute febrile disease after overseas travel: a report of two cases. *Jpn. J. Infect. Dis.*, 64(2):163-164.
- 22) Matsutani, T., Fujii, Y., Kitaura, K., Suzuki, S., Tsuruta, Y., Takasaki, T., Ogasawara, K., Nishimoto, N., Kurane, I., Suzuki, R. (2011): Increased positive selection pressure within the complementarity determining regions of the T-cell receptor β gene in New World monkeys. *Am. J. Primatol.*, 73(10), 1082-1092.
- 23) Fujii, Y., Hayasaka, D., Kitaura, K., Takasaki, T., Suzuki, R., Kurane, I. (2011): T cell clones expressing different T cell receptors accumulate in the brains of dying and surviving mice following peripheral infection with Far Eastern strain of tick-borne encephalitis. *Viral Immunol.*, 24(4):291-302.
- 24) Srisawat, R., Komalamisia, N., Phanphoo Wong, T., Takasaki, T., Runtuwene, L.R., Kurane, I., Narita, H., Eshita, Y. (2011): Present status of the insecticide susceptibility of *Aedes* mosquitoes in Thailand. *J. Jpn. Red Cross Yoyota College of Nursing*, 6(1), 31-37.
- 25) Yoshida, T., Omatsu, T., Saito, A., Katakai, Y., Iwasaki, Y., Iijima, S., Kurosawa, T., Hamano, M., Nakamura, S., Takasaki, T., Yasutomi, Y., Kurane, I., Akari, H. (2012): CD16+ natural killer cells play a limited role against primary dengue virus infection in tamarins. *Arch. Virol.*, 157, 363-368.
- 26) Kitaura, K., Fujii, Y., Hayasaka, D., Matsutani, T., Shirai, K., Nagata, N., Lim, C.K., Suzuki, S., Takasaki, T., Suzuki, R., Kurane, I. (2011): High clonality of virus-specific T lymphocytes defined by TCR usage in the brains of mice infected with West Nile virus. *J. Immunol.*, 187, 3919-3930.

- 27) Takasaki, T., Kotaki, A., Tajima, S., Omatsu, T., Harada, F., Lim, C.K., Moi, M.L., Ito, M., Ikeda, M., Kurane, I. (2012): Demographic features of imported dengue fever and dengue haemorrhagic fever in Japan from 2006 to 2009. *WHO Dengue Bulletin*, 35, 217-222.
- 28) Takasaki, T. (2011): Imported dengue fever/dengue hemorrhagic fever cases in Japan. *Trop. Med. Health*, 39 (4 Suppl), 13-15.
- 29) Kurane, I., Matsutani, T., Suzuki, R., Takasaki, T., Kalayanarooj, S., Green, S., Rothman, A.L., Ennis F.A. (2011): T-cell Responses to dengue virus in humans. *Trop. Med. Health*, 39 (4 Suppl), 45-51.
- 30) Mizuno, Y., Kato, Y., Kano, S., Takasaki, T. (2012): Imported malaria and dengue fever in returned travelers in Japan from 2005 to 2010. *Travel Med. Infect. Dis.*, 10, 86-91.
- 31) Isawa, H., Kuwata, R., Tajima, S., Hoshino, K., Sasaki, T., Takasaki, T., Kobayashi, M., Sawabe, K. (2012): Construction of an infectious cDNA clone of Culex Flavivirus, an insect-specific flavivirus from Culex mosquitoes. *Arch. Virol.*, 157, 975-979.
- 32) Ito, M., Katakai, Y., Ono, F., Akari, H., Mukai, R.Z., Takasaki, T., Kotaki, A., Kurane, I. (2011): Serotype-specific and cross-reactive neutralizing antibody responses in cynomolgus monkeys after infection with multiple dengue virus serotypes. *Arch. Virol.*, 156(6), 1073-1077.
- 33) Mohammed, M.A., Galbraith, S.E., Radford, A.D., Dove, W., Takasaki, T., Kurane, I., Solomon, T. (2011): Molecular phylogenetic and evolutionary analyses of Muar strain of Japanese encephalitis virus reveal it is the missing fifth genotype. *Infect. Genet. Evol.*, 11, 855-862.
- 34) Nakamichi, K., Kurane, I., Saijo, M. (2011): Evaluation of a quantitative real-time PCR assay for the detection of JC polyomavirus DNA in cerebrospinal fluid without nucleic acid extraction. *Jpn. J. Infect. Dis.*, 64, 211-216.
- 35) Gotoh, E. (2011): Visualize dynamic chromosome. *Atlas of Genetics and Cytogenetics in Oncology and Haematology* (Online publishing Journal) January. (<http://atlasgeneticsoncology.org/Deep/VisuDynChID20093.html>)
- 36) Moi, M.L., Lim, C.K., Chua, K.B., Takasaki, T., Kurane, I. (2012): Dengue virus infection-enhancing activity in serum samples with neutralizing activity as determined by using Fc γ R-expressing cells. *PLoS Negl. Trop. Dis.*, 6(2), e1536.
- 37) Matsui, T., Ogawa, H., Yamada, N., Baba, Y., Suzuki, Y., Nomoto, M., Suzutani, T., Inoue, N., Omori, K. (2012): Outcome of cochlear implantation in children with congenital cytomegalovirus infection or GJB2 mutation. *Acta Oto-Laryngolol.*, 132, 597-602.
- 38) Ikuta, K., Ishioka, K., Sato, Y., Imamura, T., Asano, K., Koyano, S., Inoue, N., Suzutani, T. (2012): A novel real-time PCR method for the determination and quantification of each cytomegalovirus (CMV) gH-subtype in clinical samples. *J. Clin. Microbiol.*, 50, 499-501.
- 39) Koyano, S., Inoue, N., Oka, A., Moriuchi, H., Asano, K., Ito, Y., Yamada, H., Yoshikawa, T., Suzutani T., for the Japanese Congenital Cytomegalovirus Study Group. (2011): Screening for congenital cytomegalovirus infection using newborn urine samples collected on filter paper: feasibility and outcomes from a multi-centre study. *BMJ Open*, 1, e00118.
- 40) Kashiwagi, Y., Nakajima, J., Ishida, Y., Nishimata, S., Kawashima, H., Miyajima, T., Takekuma, K., Hoshika, A., Inoue, N. (2011): Prolonged valganciclovir therapy for congenital cytomegalovirus infection. *J. Infect. Chemother.*, 17, 538-540.
- 41) Imamura, T., Suzutani, T., Ogawa, H., Asano, K., Momoi, N., Ikuta, K., Inoue, N., Hosoya, M.

- (2011): Oral valganciclovir treatment for congenital cytomegalovirus infection in a five month old girl with progressive hearing loss. *Pediatr. International*, 53, 249–252.
- 42) Ishibashi, K., Tokumoto, T., Shirakawa, H., Hashimoto, K., Ikuta, K., Kushida, N., Yanagida, T., Shishido, K., Aikawa, K., Toma, H., Inoue, N., Yamaguchi, O., Tanabe, K., Suzutani, T. (2011): The lack of antibodies against the AD2 epitope of cytomegalovirus (CMV) glycoprotein B (gB) is associated with CMV disease after renal transplantation in recipients having gH serotypes same as their donors. *Transplant. Infect. Dis.*, 13, 318–323.
- 43) Katoh, H., Yamada, S., Hagino, T., Ohya, K., Sakai, H., Yanai, T., Masegi, T., Yamaguchi, T., Fukushi, H. (2011): Molecular genetic and pathogenic characterization of psittacid herpesvirus type 1 isolated from a captive galah (*Eolophus roseicapillus*) in Japan. *J. Vet. Med. Sci.*, 73, 1341–1345.
- 44) Kanai, K., Yamada, S., Yamamoto, Y., Fukui, Y., Kurane, I., Inoue, N. (2011): Re-evaluation of guinea pig cytomegalovirus complete genome sequence. *J. Gen. Virol.*, 92, 1005–1020.
- 45) Kanai, K., Kato, K., Sano, H., Nagata, K., Okuno, K., Kuwamoto, S., Higaki, H., Sugihara, H., Kato, M., Murakami, I., Hayashi, K. (2011): In vitro Epstein-Barr virus infection model of rabbit lymphocytes from peripheral blood or spleen. *Intervirology*, 54, 17–24.
- 46) Nagata, K., Fukata, S., Kanai, K., Satoh, Y., Segawa, T., Kuwamoto, S., Sugihara, H., Kato, M., Murakami, I., Hayashi, K., Sairenji, T. (2011): The influence of Epstein-Barr virus reactivation in patients with Graves' disease. *Viral Immunol.*, 24, 143–149.
- 47) Kuwamoto, S., Higaki, H., Kanai, K., Iwasaki, T., Sano, H., Nagata, K., Kato, K., Kato, M., Murakami, I., Horie, Y., Yamamoto, O., Hayashi, K. (2011): Association of Merkel cell polyomavirus infection with morphologic differences in Merkel cell carcinoma. *Hum. Pathol.*, 42, 632–640.
- 48) Fujisawa, T., Kadosaka, T., Fujita, H., Ando, S., Takano, A., Ogasawara, Y., Kawabata, H., Seishima, M. (2012): *Rickettsia africae* infection in a Japanese traveler with many tick bites. *Acta Dermato-Venereologica*, doi: 10.2340/15555-1313
- 49) Uchiyama, T., Kishi, M., Ogawa, M. (2012): Restriction of the growth of a nonpathogenic spotted fever group rickettsia. *FEMS Immunol. Med. Microbiol.*, 64, 42–47.
- 50) Takano, A., Nakao, M., Masuzaka, T., Takada, N., Yano, Y., Ishiguro, F., Fujita, H., Ito, T., Ma, X., Oikawa, Y., Kawamori, F., Kumagai, K., Mikami, T., Hanaoka, N., Ando, S., Honda, N., Tayler, K., Tsubota, T., Konnai, S., Watanabe, M., Ohnishi, M., Kawabata, H. (2011): Multilocus sequence typing implicates rodents as the main reservoir host of human-pathogenic *Borrelia garinii* in Japan. *J. Clin. Microbiol.*, 49, 2035–2039.
- 51) Yoshii, K., Motta, K., Omori-Urabe, Y., Chiba, Y., Seto, T., Sanada, T., Maeda, J., Obara, M., Ando, S., Ito, N., Sugiyama, M., Sato, H., Fukushima, H., Kariwa, H., Takashima, I. (2011): Epizootiological study of tick-borne encephalitis virus infection in Japan. *J. Vet. Med. Sci.*, 73, 409–412.

Author

- 1) Gotoh, E.: Visualize dynamics of chromosome structure formation and DNA repair/recombination coupled with DNA replication: tight coupled role of DNA replication in chromosome compaction and DNA recombination, Chapter 8 Fundamental Aspects of DNA Replication, p 119–144, Jelena Kusic-Tisma (Ed.), ISBN: 978-953-307-259-3, InTech, September 2011.
- 2) Yamada, S., Taniguchi, R., Kosugi, I., Inoue, N. (2012): Cytomegalovirus, *In*: (Eds) Singh SK &

Ruzek D. "Neuroviral Infection" Taylor & Francis
CRC Press.