

## 21. Influenza Virus Research Center

- 1) Fouchier, R. A. M., Garcia-Sastre, A., Kawaoka, Y., Barclay, W. S., Bouvier, N. M., Brown, I. H., Capua, I., Chen, H., Compans, R. W., Couch, R. B., Cox, N. J., Doherty, P. C., Donis, R. O., Feldmann, H., Guan, Y., Katz, J., Kiselev, O., Klenk, H.-D., Kobinger, G., Liu, J., Liu, X., Lowen, A., Mittenleiter, T. C., Osterhaus, A. D. M. E., Palese, P., Peiris, J. S. M., Perez, D. R., Richit, J. A., Schultz-Cherry, S., Steel, J., Subbarao, K., Swayne, D. E., Takimono, T., Tashiro, M., Taubenberger, J. K., Thomas, P. G., Tripp, R. A., Tumpey, T. M., Webby, R. J., Webster, R. G. Avian flu transmission research resumes. *Science* 339(6119) 520-521 2013 DOI: 10.1126/science.1235140 (2013)
- 2) Fouchier, R. A. M., Garcia-Sastre, A., Kawaoka, Y., Barclay, W. S., Bouvier, N. M., Brown, I. H., Capua, I., Chen, H., Compans, R. W., Couch, R. B., Cox, N. J., Doherty, P. C., Donis, R. O., Feldmann, H., Guan, Y., Katz, J., O. Kiselev, Klenk, H.-D., Kobinger, G., Liu, J., Liu, X., Lowen, A., Mittenleiter, T. C., Osterhaus, A. D. M. E., Palese, P., Peiris, J. S. M., Perez, D. R., Richit, J. A., Schultz-Cherry, S., Steel, J., Subbarao, K., Swayne, D. E., Takimono, T., Tashiro, M., Taubenberger, J. K., Thomas, P. G., Tripp, R. A., Tumpey, T. M., Webby, R. J., Webster, R. G. H5N1 virus: Transmission studies resume for avian flu. *Nature* 493: 460, 2013. doi:10.1038/nature11858 (2013)
- 3) McKimm-Breschkin, J. L., Williams, J., Barrett, S., Jachno, K., McDonald, M., Mohr, P., Saiito, T., Tashiro, M.. Reduced susceptibility to all neuraminidase inhibitors of influenza H1N1 viruses with haemagglutinin mutations and mutations in non-conserved residues of the neuraminidase. *J. Antimicrobial Chemotherapy* 68(10) 2210-2221 2013 doi: 10.1093/jac/dkt205 (2013)
- 4) Ainai, A., Tamura, S-I., Suzuki, T., van Riet, E., Ito, R., Odagiri, T., Tashiro, M., Kurata, T., Hasegawa, H. Intranasal vaccination with an inactivated whole influenza virus vaccine induces strong antibody responses in serum and nasal mucus of healthy adults. *Human Vaccines & Immunotherapeutics*. 9(9) 1-8 2013.
- 5) Members of the Western Pacific Region Global Influenza Surveillance and Response System; Dwyer, D., Barr, I., Hurt, A., Kelso, A., Reading, P., Sullivan, S., Buchy, P., Yu, H., Zheng, J., Shu, Y., Wang, D., Lam, W., Aguon, A., Oliva, R.Q., Odagiri, T., Tashiro, M., Verasahib, K., Yusof, M. A., Nymadawa, P., Alexander, B., Gourinat, A.-C., J Grangeon, J.-P., Jennings, L., Huang, S., Horwood, P., Lucero, M., Roque, V. Jr., Suy, L. L., Cardon, P., Tandoc, A. III., Olveda, R. M., Chun, K., Park, Y.-J., Cutter, J., Lin, R., Low, C., Mai, L. T. Q., Balish, A., Kile, J., Mei, S., Mcfarland, J., Moen, A., Olsen, S., Samaan, G., Xi, X., Chea, N., Diorditsa, S., Feldon, K., Fox, K., Jamsran, M., Konings, F., Lewis, H. C., McPherson, M., Nilles, E., Olowokure, B., Partridge, J. Seasonal influenza vaccine policies, recommendations and use in the World Health Organization's Western Pacific Region Western Pacific Surveillance and Response (WPSAR) Journal (2013). 4:51-59 2013. doi: 10.5365/wpsar.2013.4.1.009 (2013).
- 6) Miyazaki, M., Nishihara, H., Hasegawa, H., Tashiro, M., Wang, L., Kimura, T., Tanino, M., Tsuda, M., Tanaka, S. NS1-binding protein abrogates the elevation of cell viability by the influenza A virus NS1 protein in association with CRKL. *Biochem. Biophys. Res. Commun.* 441(4) 953-957 2013 DOI:10.1016/j.bbrc.2013.11.011
- 7) Barr, I. G., Besselaar, T. G., Cox, N. J., Daniels, R. S., Donis, R., Engelhardt, O. G., Grohmann, G., Itamura, S., Kelso, A., McCauley, J., Odagiri, T., Russell, C., Schultz-Cherry, S., Shu, Y., Smith, D., Tashiro, M., Wang, D., Webby, R., Xu, X., Ye, Z., Zhang, W. (Writing Committee of the World Health Organization Consultation on Northern Hemisphere Influenza Vaccine Composition for 2013-4) WHO recommendations for the viruses to be used in the 2013-14 Northern Hemisphere Influenza Vaccine: Epidemiology, antigenic and genetic characteristics of influenza A(H1N1)pdm09, A(H3N2) and B influenza viruses collected from October 2012 to January 2013. *Vaccine*

8) World Health Organization/World Organisation for Animal Health/Food and Agriculture Organization (WHO/OIE/FAO) H5N1 Evolution Working Group: Bahl, J., Besselaar, T., Brown, I. H., Capua, I., Chen, H., Cox, N., Claes, F., Davis, C. T., Donis, R. O., Fouchier, R. A. M., Guan, Y., Hamilton, K., Jang, Y., Kawaoka, Y., Kelso, A., McCauley, J., Mumford, E., Prajitno, T., Russell, C. A., Smith, D., Smith, G. J. D., Shu, Y., Tashiro, M., Shepard, S., Vijaykrishna, D., Webby, R., Webster, R., Wong, F. Revised and updated nomenclature for highly pathogenic avian influenza A (H5N1) viruses. Influenza and Other Respiratory Viruses. 8(3) 384-388 2014 DOI: 10.1111/irv.122302014

9) Nakauchi, M., Takayama, I., Takahashi, H., Tashiro, M., Kageyama, T. Development of a reverse transcription loop-mediated isothermal amplification assay for the rapid diagnosis of avian influenza A (H7N9) virus infection. J. Virol. Methods 204 101-104 2014.

10) Nakauchi, M., Takayama, I., Takahashi, H., Oba, K., Kubo, H., Kaida, A., Tashiro, M., Kageyama, T. Real-time RT-PCR Assays for Discriminating Influenza B Virus Yamagata and Victoria Lineages. J. Virol. Methods. 205 110-115 2014 DOI:10.1016/j.jviromet.2014.04.016 (2014)

11) Sakai, K., Ami, Y., Tahara, M., Kubota, T., Anraku, M., Abe, M., Nakajima, N., Sekizuka, T., Shirato, K., Suzuki, Y., Ainai, A., Nakatsu, Y., Nagata, N., Kanou, K., Komase, K., Nobusawa, E., Maenaka, K., Kuroda, M., Hasegawa, H., Kawaokaj, Y., Tashiro, M., Takeda, M. The host protease TMPRSS2 plays a major role for in vivo replication of emerging H7N9 and seasonal influenza viruses. J. Virol. 88 5608-5616 2014 doi:10.1128/JVI.03677-13 (2014)

12) Takashita E, Ejima M, Itoh R, Miura M, Ohnishi A, Nishimura H, Odagiri T, Tashiro M. A community cluster of influenza A(H1N1)pdm09 virus exhibiting cross-resistance to oseltamivir and peramivir in Japan, November to December

2013. Euro Surveill. 2014;19(1):pii: 20666.

13) Kishida N, Imai M, Xu H, Taya K, Fujisaki S, Takashita E, Tashiro M, Odagiri T. Seroprevalence of a novel influenza A (H3N2) variant virus in the Japanese population. Jpn J Infect Dis. 2013;66(6):549-51.

14) Watanabe T, Kiso M, Fukuyama S, Nakajima N, Imai M, Yamada S, Murakami S, Yamayoshi S, Iwatsuki-Horimoto K, Sakoda Y, Takashita E, McBride R, Noda T, Hatta M, Imai H, Zhao D, Kishida N, Shirakura M, de Vries RP, Shichinohe S, Okamatsu M, Tamura T, Tomita Y, Fujimoto N, Goto K, Katsura H, Kawakami E, Ishikawa I, Watanabe S, Ito M, Sakai-Tagawa Y, Sugita Y, Uraki R, Yamaji R, Eisfeld AJ, Zhong G, Fan S, Ping J, Maher EA, Hanson A, Uchida Y, Saito T, Ozawa M, Neumann G, Kida H, Odagiri T, Paulson JC, Hasegawa H, Tashiro M, Kawaoka Y. Characterization of H7N9 influenza A viruses isolated from humans. Nature. 2013;501(7468):551-5.

15) Takashita E, Fujisaki S, Kishida N, Xu H, Imai M, Tashiro M, Odagiri T; Influenza Virus Surveillance Group of Japan. Characterization of neuraminidase inhibitor-resistant influenza A(H1N1)pdm09 viruses isolated in four seasons during pandemic and post-pandemic periods in Japan. Influenza Other Respir Viruses. 2013;7(6):1390-9.

16) Uraki R, Kiso M, Iwatsuki-Horimoto K, Fukuyama S, Takashita E, Ozawa M, Kawaoka Y. A novel bivalent vaccine based on a PB2-knockout influenza virus protects mice from pandemic H1N1 and highly pathogenic H5N1 virus challenges. J Virol. 2013;87(14):7874-81.

17) Kageyama T, Fujisaki S, Takashita E, Xu H, Yamada S, Uchida Y, Neumann G, Saito T, Kawaoka Y, Tashiro M. Genetic analysis of novel avian A(H7N9) influenza viruses isolated from patients in China, February to April 2013. Euro Surveill. 2013;18(15):20453-20468. 2013

18) Fujisaki S, Imai M, Takashita E, Taniwaki T, Xu H.

- Kishida N, Yokoyama M, Sato H, Tashiro M, Odagiri T. Mutations at the monomer-monomer interface away from the active site of influenza B virus neuraminidase reduces susceptibility to neuraminidase inhibitor drugs. *J Infect Chemother.* 2013;19(5):891-895. 2014
- 19) Wilker PR, Dinis JM, Starrett G, Imai M, Hatta M, Nelson CW, O'Connor DH, Hughes AL, Neumann G, Kawaoka Y, Friedrich, TC. Selection on haemagglutinin imposes a bottleneck during mammalian transmission of reassortant H5N1 influenza viruses. *Nat. Commun.* 2013;4:2636.
- 20) Imai M, Herfst S, Sorrell EM, Schrauwen EJ, Linster M, De Graaf M, Fouchier RA, Kawaoka Y. Transmission of influenza A/H5N1 viruses in mammals. *Virus Res.* 2013;178:15-20.
- 21) Takemae N, Nguyen T, Ngo LT, Hiromoto Y, Uchida Y, Pham VP, Kageyama T, Kasuo S, Shimada S, Yamashita Y, Goto K, Kubo H, Le VT, Van Vo H, Do HT, Nguyen DH, Hayashi T, Matsuu A, Saito T. Antigenic variation of H1N1, H1N2 and H3N2 swine influenza viruses in Japan and Vietnam. *Archives of Virology* 158(4):859-876 2013
- 22) Kobayashi M, Takayama I, Kageyama T, Tsukagoshi H, Saitoh M, Ishioka T, Yokota Y, Kimura H, Tashiro M, Kozawa K. Novel Reassortant Influenza A (H1N2) Virus Derived from A (H1N1) pdm09 Virus Isolated from Swine, Japan, 2012. *Emerging Infectious Diseases*, 19(12), 2013
- 23) Yamanaka A, Iwakiri A, Yoshikawa T, Sakai K, Singh H, Himeji D, Kikuchi I, Ueda A, Yamamoto S, Miura M, Shioyama Y, Kawano K, Nagaishi T, Saito M, Minomo M, Iwamoto N, Hidaka Y, Sohma H, Kobayashi T, Kanai Y, Kawagishi T, Nagata N, Fukushi S, Mizutani T, Tani H, Taniguchi S, Fukuma A, Shimojima M, Kurane I, Kageyama T, Odagiri T, Saijo M, Morikawa S. Imported Case of Acute Respiratory Tract Infection Associated with a Member of Species Nelson Bay Orthoreovirus. *PLoS One.* 9(3):25-34, 24) Ato M, Takahashi Y, Fujiia H, Hashimoto S, Kaji T, Itamura S, Horiuchi Y, Arakawa Y, Tashiro M, Takemori T. Influenza A whole virion vaccine induces a rapid reduction of peripheral blood leukocytes via interferon- $\alpha$ -dependent apoptosis. *Vaccine* 31: 2184–2190 (2013)
- 25) Yang T, Kataoka M, Ami Y, Suzuki Y, Kishida N, Shirakura M, Imai M, Asanuma H, Takeda N, Wakita T, Li TC. Characterization of self-assembled virus-like particles of ferret hepatitis E virus generated by recombinant baculoviruses. *J Gen Virol.* 94: 2647-2656. 2013.
- 26) Takebe Y, Saucedo CJ, Lund G, Uenishi R, Hase S, Tuchiura T, Kneteman N, Ramessar K, Tyrrell DL, Shirakura M, Wakita T, McMahon JB, O'Keefe BR. Antiviral lectins from red and blue-green algae show potent in vitro and in vivo activity against hepatitis C virus. *PLoS One.* 8(5): e64449. 2013.
- 27) Hamamoto I, Harazaki K, Inase N, Takaku H, Tashiro M, Yamamoto N. Cyclosporin A inhibits the propagation of influenza virus by interfering with a late event in the virus life cycle. *Jpn J Infect Dis.* 66(4):276-83, 2013
- 28) Tsukagoshi H, Yokoi H, Kobayashi M, Kushibuchi I, Okamoto-Nakagawa R, Yoshida A, Morita Y, Noda M, Yamamoto N, Sugai K, Oishi K, Kozawa K, Kuroda M, Shirabe K, Kimura H. Genetic analysis of attachment glycoprotein (G) gene in new genotype ON1 of human respiratory syncytial virus detected in Japan. *Microbiol Immunol.* 57(9):655-9, 2013
- 29) Kushibuchi I, Kobayashi M, Kusaka T, Tsukagoshi H, Ryo A, Yoshida A, Ishii H, Saraya T, Kurai D, Yamamoto N, Kanou K, Saitoh M, Noda M, Kuroda M, Morita Y, Kozawa K, Oishi K, Tashiro M, Kimura H. Molecular evolution of attachment glycoprotein (G) gene in human respiratory syncytial virus detected in Japan 2008-2011. *Infect Genet*

30) Okada S, Hasegawa S, Hasegawa H, Ainai A, Atsuta R, Ikemoto K, Sasaki K, Toda S, Shirabe K, Takahara M, Harada S, Morishima T, Ichiyama T. Analysis of bronchoalveolar lavage fluid in a mouse model of bronchial asthma and H1N1 2009 infection. *Cytokine*. 2013 Aug;63(2):194-200.

31) Li TC, Yang T, Ami Y, Suzuki Y, Shirakura M, Kishida N, Asanuma H, Takeda N, Wakita T. Complete Genome of Hepatitis E Virus from Laboratory Ferrets. *Emerging Infectious Diseases*. 20(4):709-12. 2013.

32) Yoo W, Nakamura T, Asanuma H, Matsushita M. Molecular cloning, genomic structure and tissue distribution of EW135, a novel chicken egg white protein with group B scavenger receptor cysteine-rich domains. *Immunogenetics* 65(11):785-93. 2013.