

2. Department of Virology II

- 1) Abe Y, Aly HH, Immamura M, Wakita T, Shimotohno K, Chayama K, Hijikata M. Thromboxane A2 synthase inhibitor and prostaglandin I2 receptor agonist are potent anti-Hepatitis C virus (HCV) drugs. *Gastroenterology* 145(3): 658-667, 2013.
- 2) Akazawa D, Moriyama M, Yokokawa H, Omi N, Watanabe N, Date T, Morikawa K, Aizaki H, Ishii K, Kato T, Mochizuki H, Nakamura N, Wakita T. Neutralizing antibodies induced by cell culture-derived hepatitis C virus protect against infection in mice. *Gastroenterology* 145(2): 447-55. e1-4, 2013.
- 3) Arita M. Development of poliovirus extraction method from the stool extracts by using magnetic nanoparticles sensitized with soluble poliovirus receptor. *J Clin Microbiol* 51(8): 2717-2720, 2013
- 4) Arita M, Kojima H, Nagano T, Okabe T, Wakita T, Shimizu H. Oxysterol-binding protein family I is the target of minor enviroxime-like compounds. *J Virol* 87(8): 4252-4260, 2013
- 5) Burns CC, Shaw J, Jorba J, Bukbuk D, Adu F, Gumede N, Pate MA, Abanida EA, Gasasira A, Iber J, Chen Q, Vincent A, Chenoweth P, Henderson E, Wannemuehler K, Naeem A, Umami RN, Nishimura Y, Shimizu H, Baba M, Adeniji A, Williams AJ, Kilpatrick DR, Oberste MS, Wassilak SG, Tomori O, Pallansch MA, Kew O. Multiple Independent Emergences of Type 2 Vaccine-Derived Polioviruses during a Large Outbreak in northern Nigeria. *J Virol* 87(9):4907-4922, 2013
- 6) Chen DS, Locarnini S, Wait S, Bae SH, Chen PJ, Fung JY, Kim HS, Lu SN, Sung J, Tanaka J, Wakita T, Ward J, Wallace J; CEVHAP North Asia Workshop on Viral Hepatitis. Report from a Viral Hepatitis Policy Forum on implementing the WHO Framework for Global Action on viral hepatitis in North Asia. *J Hepatol.* 2013 59(5):1073-80.
- 7) Guan D, Li W, Su J, Fang L, Takeda N, Wakita T, Li TC, and Ke C. Asian Musk Shrew as a Reservoir of Rat Hepatitis E Virus, China. *Emerg Infect Dis.* 2013 19(8):1341-1343.
- 8) Harada S, Tokuoka E, Kiyota N, Katayama K, Oka T. Phylogenetic analysis of the nonstructural and structural protein encoding region sequences, indicating successive appearance of genomically diverse sapovirus strains from gastroenteritis patients. *Jpn J Infect Dis.* 2013;66(5):454-7
- 9) Higo-Moriguchi K, Shirato H, Someya Y, Kurosawa Y, Takeda N, Taniguchi K. (2013) Isolation of cross-reactive human monoclonal antibodies that prevent binding of human noroviruses to histo-blood group antigens. *J. Med. Virol.* 86(4), 558-567.
- 10) Hovi T, Paananen A, Blomqvist S, Savolainen-Kopra C, Al-Hello H, Smura T, Shimizu H, Nadova K, Sobotova Z, Gavrilin E, Roivainen M. Characteristics of an Environmentally Monitored Prolonged Type 2 Vaccine Derived Poliovirus Shedding Episode that Stopped without Intervention. *PLoS One* 8(7):e66849. 2013
- 11) Iizuka S, Takai-Todaka R, Ohshiro H, Kitajima M, Wang Q, Saif LJ, Wakita T, Noda M, Katayama K, Oka T. Detection of multiple human sapoviruses from imported frozen individual clams. *Food Environ Virol.* 2013 5(2):119-25.
- 12) Ishida H, Kato T, Takehana K, Tatsumi T, Hosui A, Nawa T, Kodama T, Shimizu S, Hikita

- H, Hiramatsu N, Kanto T, Hayashi N, Takehara T. Valine, the branched-chain amino acid, suppresses hepatitis C virus RNA replication but promotes infectious particle formation. *Biochem Biophys Res Commun* Jul;437(1): 127-33, 2013.
- 13) Iwai-Itamochi M, Yoshida H, Obara-Nagoya M, Horimoto E, Kurata T, Takizawa T. Development of real-time PCR to detect oral vaccine-like poliovirus and its application to environmental surveillance. *J Virol Methods* 195, 148-155. 2014
- 14) Iwamoto M, Watashi K, Tsukuda S, Aly HH, Fukasawa M, Fujimoto A, Suzuki R, Aizaki H, Ito T, Koiwai O, Kusuvara H, Wakita T. Evaluation and identification of hepatitis B virus entry inhibitors using HepG2 cells overexpressing a membrane transporter NTCP. *Biochem Biophys Res Commun* 443(3):808-13, 2014.
- 15) Jiang X, Kanda T, Wu S, Nakamoto S, Saito K, Shirasawa H, Kiyohara T, Ishii K, Wakita T, Okamoto H, Yokosuka O. Suppression of La antigenexerts potential antiviral effects against hepatitis A virus. *PLoS One* 2014 9 (7): e101993.
- 16) Kobayashi M, Makino T, Hanaoka N, Shimizu H, Enomoto M, Okabe N, Kanou K, Konagaya M, Oishi K, Fujimoto T. Clinical manifestations of coxsackievirus A6 infection associated with a major outbreak of hand, foot, and mouth disease in Japan. *Jpn J Infect Dis* 66, 260-261, 2013
- 17) Kondo Y, Kato T, Kimura O, Iwata T, Ninomiya M, Kakazu E, Miura M, Akahane T, Miyazaki Y, Kobayashi T, Ishii M, Kisara N, Sasaki K, Nakayama H, Igarashi T, Obara N, Ueno Y, Morosawa T, Shimosegawa T. 1(OH) vitamin D3 supplementation improves the sensitivity of the immune-response during Peg-IFN/RBV therapy in chronic hepatitis C patients-case controlled trial. *PLoS One* 8(5): e63672, 2013.
- 18) Kroneman A, Vega E, Vennema H, Vinjé J, White PA, Hansman G, Green K, Martella V, Katayama K, Koopmans M. Proposal for a unified norovirus nomenclature and genotyping. *Arch Virol*. 2013 158(10):2059-68.
- 19) Lee H, Cifuentes JO, Ashley RE, Conway JF, Makhov AM, Tano Y, Shimizu H, Nishimura Y, Hafenstein S: A strain-specific epitope of enterovirus 71 identified by cryo-electron microscopy of the complex with Fab from neutralizing antibody. *J Virol* 87: 11363-11370, 2013
- 20) Li TC, Ami Y, Suzuki Y, Takeda N, Wakita T. No Evidence for Hepatitis E Virus Genotype 3 Susceptibility in Rats. *Emerg Infect Dis*. 2013 19(8):1343-5.
- 21) Li TC, Yoshizaki S, Ami Y, Suzuki Y, Yasuda SP, Yoshimatsu K, Arikawa J, Takeda N, Wakita T. Susceptibility of laboratory rats against genotypes 1, 3, 4, and rat hepatitis E viruses. *Vet Microbiol*. 2013 163(1-2):54-61.
- 22) Li W, Guan D, Su J, Takeda N, Wakita T, Ke C, Li TC. High prevalence of rat hepatitis E virus in wild rats in China. *Vet Microbiol*. 2013 165 (3-4): 275-80.
- 23) Maehama T, Fukasawa M, Date T, Wakita T, Hanada K. A class II phosphoinositide 3-kinase plays an indispensable role in hepatitis C virus replication. *Biochem Biophys Res Commun*. 2013 11;440(1):150-156.
- 24) Matsumoto Y, Matsuura T, Aoyagi H, Matsuda M, Hmwe SS, Date T, Watanabe N, Watashi K, Suzuki R, Ichinose S, Wake K, Suzuki T, Miyamura T,

- Wakita T, Aizaki H. Antiviral Activity of Glycyrrhizin against Hepatitis C Virus In Vitro. PLoS One. 2013 8(7):e68992.
- 25) Minami-Fukuda F, Nagai M, Takai H, Murakami T, Ozawa T, Tsuchiaka S, Okazaki S, Katayama Y, Oba M, Nishiura N, Sassa Y, Omatsu T, Furuya T, Koyama S, Shirai J, Tsunemitsu H, Fujii Y, Katayama K, Mizutani T: Detection of Bovine Group A Rotavirus Using Rapid Antigen Detection Kits, RT-PCR and Next-Generation DNA Sequencing. J Vet Med Sci. 2013, 75:1651-5
- 26) Murakami Y, Fukasawa M, Kaneko Y, Suzuki T, Wakita T, Fukazawa H. Retinoids and rexinoids inhibit hepatitis C virus independently of retinoid receptor signaling. Microbes Infect. 2014 16(2):114-22.
- 27) Murakami K, Kurihara C, Oka T, Shimoike T, Fujii Y, Takai-Todaka R, Park Y, Wakita T, Matsuda T, Hokari R, Katayama K. Norovirus binding to intestinal epithelial cells is independent of histo-blood group antigens. PLoS One. 2013;8(6):e66534
- 28) Nakajima S, Watashi K, Kamisuki S, Tsukuda S, Takemoto K, Matsuda M, Suzuki R, Aizaki H, Sugawara F, Wakita T. Specific inhibition of hepatitis C virus entry into host hepatocytes by fungi-derived sulochrin and its derivatives. Biochem Biophys Res Commun. 2013 440(4):515-20.
- 29) Nishimura Y, Lee H, Hafenstein S, Kataoka C, Wakita T, Bergelson JM, Shimizu H: Enterovirus 71 binding to PSGL-1 on leukocytes: VP1-145 acts as a molecular switch to control receptor interaction. PLoS Pathog 9: e1003511, 2013
- 30) Okamoto Y, Shinjo K, Shimizu Y, Sano T, Yamao K, Gao W, Fujii M, Osada H, Sekido Y, Murakami S, Tanaka Y, Joh T, Sato S, Takahashi S, Wakita T, Zhu J, Issa JP, Kondo Y. Hepatitis virus infection affects DNA methylation in mice with humanized livers. Gastroenterology. 2014 146(2):562-72.
- 31) Oshiumi H, Aly HH, Funami K, Matsumoto M, Seya T. Multi-step regulation of type I interferon induction by hepatitis C virus. Arch Immunol Ther Exp (Warsz). 61(2): 127-38, 2013.
- 32) Sakata K, Hara M, Terada T, Watanabe N, Takaya D, Yaguchi S, Matsumoto T, Matsuura T, Shirouzu M, Yokoyama S, Yamaguchi T, Miyazawa K, Aizaki H, Suzuki T, Wakita T, Imoto M, Kojima S. HCV NS3 protease enhances liver fibrosis via binding to and activating TGF- β type I receptor. Sci Rep. 2013 22;3:3243.
- 33) Shimura S, Ishima M, Nakajima S, Fujii T, Himeno N, Ikeda K, Izaguirre-Carbonell J, Murata H, Takeuchi T, Kamisuki S, Suzuki T, Kuramochi K, Watashi K, Kobayashi S, Sugawara F. Total synthesis and anti-hepatitis C virus activity of MA026. J Am Chem Soc. 135 (50): 18949-18956, 2013.
- 34) Shiota T, Li TC, Yoshizaki S, Kato T, Wakita T, Ishii K. The hepatitis E virus capsid C-terminal region is essential for the viral life cycle: implication for viral genome encapsidation and particle stabilization. J Virol 87(10): 6031-6, 2013.
- 35) Suzuki R, Matsuda M, Watashi K, Aizaki H, Matsuura Y, Wakita T, Suzuki T. Signal peptidase complex subunit 1 participates in the assembly of hepatitis C virus through an interaction with E2 and NS2. PLoS Pathog. e1003589 (2013).
- 36) Suzuki R, Ishikawa T, Konishi E, Matsuda M, Watashi K, Aizaki H, Takasaki T, Wakita T.

- Production of single-round infectious chimeric flaviviruses with DNA-based Japanese encephalitis virus replicon. *J Gen Virol.* 95:60–65 (2014)
- 37) Suzuki T, Oshiumi H, Miyashita M, Aly HH, Matsumoto M, Seya T. Cell Type-Specific Subcellular Localization of Phospho-TBK1 in Response to Cytoplasmic Viral DNA. *PLoS One* Dec;8(12): e83639, 2013.
- 38) Takebe Y, Saucedo CJ, Lund G, Uenishi R, Hase S, Tsuchiura T, Kneteman N, Ramessar K, Tyrrell DL, Shirakura M, Wakita T, McMahon JB, O'Keefe BR. Antiviral Lectins from Red and Blue-Green Algae Show Potent In Vitro and In Vivo Activity against Hepatitis C Virus. *PLoS One.* 2013 8(5):e64449.
- 39) Tanaka T, Kuroda K, Ikeda M, Wakita T, Kato N, Makishima M. Hepatitis C virus NS4B targets lipid droplets through hydrophobic residues in the amphipathic helices. *J Lipid Res.* 2013 Apr;54(4):881–92.
- 40) Tao Z, Zhang Y, Liu Y, Xu A, Lin X, Yoshida H, Xiong P, Zhu S, Wang S, 2, Yan D, Song L, Wang H, Cui N, Xu W. Isolation and Characterization of a Type 2 Vaccine-Derived Poliovirus from Environmental Surveillance in China, 2012. *PLoS ONE* 8(12): e83975. 2013
- 41) Tripathi LP, Kambara H, Chen YA, Nishimura Y, Moriishi K, Okamoto T, Morita E, Abe T, Mori Y, Matsuura Y, Mizuguchi K: Understanding the biological context of NS5A-host interactions in HCV infection: a network-based approach. *J Proteome Res* 12: 2537–2551, 2013
- 42) Tsukuda S, Watashi K. NTCP Transporter as Novel Target for Anti-Hepatitis B Virus Agents. *Clin Res Infect Dis.* 1(1): 1004, 2014.
- 43) Ueda Y, Takeda M, Mori K, Dansako H, Wakita T, Kim HS, Sato A, Wataya Y, Ikeda M, Kato N. New preclinical antimalarial drugs potently inhibit hepatitis C virus genotype 1b RNA replication. *PLoS One.* 2013 8(8):e72519.
- 44) Watashi K, Liang G, Iwamoto M, Marusawa H, Uchida N, Daito T, Kitamura K, Muramatsu M, Ohashi H, Kiyohara T, Suzuki R, Li J, Tong S, Tanaka Y, Murata K, Aizaki H, Wakita T. Interleukin-1 and tumor necrosis factor- α trigger restriction of hepatitis B virus infection via a cytidine deaminase activation-induced cytidine deaminase (AID). *J Biol Chem.* 288(44): 31715–31727, 2013.
- 45) Watashi K, Urban S, Li W, Wakita T. NTCP and beyond: opening the door to unveil hepatitis B virus entry. *Int J Mol Sci.* 15(2): 2892–2905, 2014
- 46) Xeuatvongsa A, Komada K, Kitamura T, Vongphrachanh P, Pathammavong C, Phounphenghak K, Sisouk T, Phonekeo D, Sengkeopaseuth B, Som-Oulay V, Ishii K, Wakita, Sugiyama M, Hachiya M. Chronic Hepatitis B Prevalence among Children and Mothers: Results from a Nationwide, Population-Based Survey in Lao People's Democratic Republic. *PLOS One*, 9, e88829 (2014)
- 47) Yamada N, Shigefuku R, Sugiyama R, Kobayashi M, Ikeda H, Takahashi H, Okuse C, Suzuki M, Itoh F, Yotsuyanagi H, Yasuda K, Moriya K, Koike K, Wakita T, Kato T. Acute Hepatitis B of Genotype H Resulting in Persistent Infection. *World J Gastroenterol.* 20(11): 3044–9, 2014.
- 48) Yang T, Kataoka M, Ami Y, Suzuki Y, Kishida N, Shirakura M, Imai M, Asanuma H, Takeda N, Wakita T, Li TC. Characterization of

Self-Assembled Virus-Like Particles of
Ferret Hepatitis E Virus Generated by
Recombinant Baculoviruses. J Gen Virol. 2013
94 Pt 12:2647–56.

- 49) Yasui Y, Makino T, Hanaoka N, Shimizu H, Kanou K, Kobayashi M, Konagaya M, Fujimoto T. A Case of Atypical Hand-Foot-and-Mouth Disease Caused by Coxsackievirus A6: Differential Diagnosis from Varicella in a Pediatric Intensive Care Unit. Jpn J Infect Dis 66, 564–566, 2013
- 50) Zheng H, Lu J, Zhang Y, Yoshida H, Guo X, Liu L, Li H, Zeng H, Fang L, Mo Y, Yi L, Chosa T, Xu W, Ke C. Prevalence of Non-polio Enteroviruses in the Sewage of Guangzhou City, China, from 2009 to 2012. Appl Environ Microbiol 79(24):7679–83, 2013