

7. Department of Pathology

- 1) Sakai K, Ami Y, Tahara M, Kubota T, Anraku M, Abe M, Nakajima N, Sekizuka T, Shirato K, Suzuki Y, Ainai A, Nakatsu Y, Kanou K, Nakamura K, Suzuki T, Komase K, Nobusawa E, Maenaka K, Kuroda M, Hasegawa H, Kawaoka Y, Tashiro M, Takeda M. The host protease TMPRSS2 plays a major role in in vivo replication of emerging H7N9 and seasonal influenza viruses. *J Virol.* 2014 May;88 (10):5608-16. Epub 2014 Mar 5.
- 2) Ota Y, Hishima T, Mochizuki M, Kodama Y, Moritani S, Oyaizu N, Mine S, Ajisawa A, Tanuma J, Uehira T, Hagiwara S, Yajima K, Koizumi Y, Shirasaka T, Kojima Y, Nagai H, Yokomaku Y, Shiozawa Y, Koibuchi T, Iwamoto A, Oka S, Hasegawa H, Okada S, Katano H. Classification of AIDS-related lymphoma cases between 1987 and 2012 in Japan based on the WHO classification of lymphomas, fourth edition. *Cancer Med.* 2014 Jan 10.
- 3) Senchi K, Matsunaga S, Hasegawa H, Kimura H, Ryo A. Development of oligomannose-coated liposome-based nasal vaccine against human parainfluenzavirus type 3. *Front Microbiol.* 2013 Nov 26;4:346.
- 4) Miyazaki M, Nishihara H, Hasegawa H, Tashiro M, Wang L, Kimura T, Tanino M, Tsuda M, Tanaka S. NS1-binding protein abrogates the elevation of cell viability by the influenza A virus NS1 protein in association with CRKL. *Biochem Biophys Res Commun.* 2013 Nov 29;441 (4):953-7.
- 5) Suzuki T, Orba Y, Makino Y, Okada Y, Sunden Y, Hasegawa H, Hall WW, Sawa H. Viroporin activity of the JC polyomavirus is regulated by interactions with the adaptor protein complex 3. *Proc Natl Acad Sci U S A.* 2013 Nov 12;110 (46):18668-73.
- 6) Ainai A, Tamura S, Suzuki T, van Riet E, Ito R, Odagiri T, Tashiro M, Kurata T, Hasegawa H. Intranasal vaccination with an inactivated whole influenza virus vaccine induces strong antibody responses in serum and nasal mucus of healthy adults. *Hum Vaccin Immunother.* 2013 Sep;9 (9):1962-70.
- 7) Watanabe T, Kiso M, Fukuyama S, Nakajima N, Imai M, Yamada S, Murakami S, Yamayoshi S, Iwatsuki-Horimoto K, Sakoda Y, Takashita E, McBride R, Noda T, Hatta M, Imai H, Zhao D, Kishida N, Shirakura M, de Vries RP, Shichinohe S, Okamatsu M, Tamura T, Tomita Y, Fujimoto N, Goto K, Katsura H, Kawakami E, Ishikawa I, Watanabe S, Ito M, Sakai-Tagawa Y, Sugita Y, Uraki R, Yamaji R, Eisfeld AJ, Zhong G, Fan S, Ping J, Maher EA, Hanson A, Uchida Y, Saito T, Ozawa M, Neumann G, Kida H, Odagiri T, Paulson JC, Hasegawa H, Tashiro M, Kawaoka Y. Characterization of H7N9 influenza A viruses isolated from humans. *Nature.* 2013 Sep 26;501 (7468):551-5.
- 8) Okada S, Hasegawa S, Hasegawa H, Ainai A, Atsuta R, Ikemoto K, Sasaki K, Toda S, Shirabe K, Takahara M, Harada S, Morishima T, Ichiyama T. Analysis of bronchoalveolar lavage fluid in a mouse model of bronchial asthma and H1N1 2009 infection. *Cytokine.* 2013 Aug;63 (2):194-200.
- 9) Kurabayashi S, Sakoda Y, Kawasaki T, Tanaka T, Yamamoto N, Okamatsu M, Isoda N, Tsuda Y, Sunden Y, Umemura T, Nakajima N, Hasegawa H, Kida H. Excessive cytokine response to rapid proliferation of highly pathogenic avian influenza viruses leads to fatal systemic capillary leakage in chickens. *PLoS One.* 2013 Jul 9;8 (7):e68375.
- 10) Dan K, Akiyoshi H, Munakata K, Hasegawa H, Watanabe K. A Kampo (traditional Japanese herbal) medicine, Hochuekkito, pretreatment in mice prevented influenza virus replication accompanied with GM-CSF expression and increase in several defensin mRNA levels. *Pharmacology.* 2013;91 (5-6):314-21.
- 11) Niikura K, Matsunaga T, Suzuki T, Kobayashi S, Yamaguchi H, Orba Y, Kawaguchi A, Hasegawa H, Kajino K, Ninomiya T, Ijiro K, Sawa H. Gold nanoparticles as a vaccine platform: influence of size and

- shape on immunological responses in vitro and in vivo. ACS Nano. 2013 May 28;7 (5):3926-38.
- 12) Sakai K, Yoshikawa T, Seki F, Fukushi S, Tahara M, Nagata N, Ami Y, Mizutani T, Kurane I, Yamaguchi R, Hasegawa H, Saijo M, Komase K, Morikawa S, Takeda M. Canine distemper virus associated with a lethal outbreak in monkeys can readily adapt to use human receptors. J Virol. 2013 Jun;87 (12):7170-5.
- 13) Kobayashi T, Fukushima K, Sannan T, Saito N, Takiguchi Y, Sato Y, Hasegawa H, Ishikawa K. Evaluation of the effectiveness and safety of chitosan derivatives as adjuvants for intranasal vaccines. Viral Immunol. 2013 Apr;26 (2):133-42.
- 14) Katano H, Yokomaku Y, Fukumoto H, Kanno T, Nakayama T, Shingae A, Sugiura W, Ichikawa S, Yasuoka A. Seroprevalence of Kaposi's sarcoma-associated herpesvirus among men who have sex with men in Japan. J Med Virol 2013; 85: 1046-52.
- 15) Ishikawa C, Tanaka J, Katano H, Senba M, Mori N. Hippuristanol reduces the viability of primary effusion lymphoma cells both in vitro and in vivo. Marine drugs 2013; 11: 3410-24.
- 16) Hashimoto K, Yamada S, Katano H, Fukuchi S, Sato Y, Kato M, Yamaguchi T, Moriishi K, Inoue N. Effects of immunization of pregnant guinea pigs with guinea pig cytomegalovirus glycoprotein B on viral spread in the placenta. Vaccine 2013; 31: 3199-205.
- 17) Goto H, Matsuda K, Srikoon P, Kariya R, Hattori S, Taura M, Katano H, Okada S. Potent antitumor activity of zoledronic acid-induced Vgamma9Vdelta2 T cells against primary effusion lymphoma. Cancer Lett 2013; 331: 174-82.
- 18) Fukumoto H, Sato Y, Hasegawa H, Katano H. Frequent detection of Merkel cell polyomavirus DNA in sera of HIV-1-positive patients. Virology journal 2013; 10: 84.
- 19) Koyama T, Sun B, Tokunaga K, Tatsumi M, Ishizaka Y. DNA damage aids HIV-1 infection of macrophages by overcoming integrase inhibition. Retrovirology 10:21, 2013.
- 20) Chutiwittoonchai N, Hiyoshi M, Hiyoshi-Yoshidomi Y, Hashimoto M, Tokunaga K, Suzu S. Characteristics of IFITM, the newly identified IFN-inducible anti-HIV-1 family proteins. Microbes Infect. 15:280-90, 2013.
- 21) Fujita H, Iwabu Y, Tokunaga K (co-corresponding author), Tanaka Y. Membrane-associated RING-CH (MARCH) 8 mediates the ubiquitination and lysosomal degradation of the transferrin receptor. J. Cell Sci. 126:2798-809, 2013.
- 22) Tada T, Kadoki M, Liu Y, Tokunaga K (co-corresponding author), Iwakura Y. Transgenic expression of the human LEDGF/p75 gene relieves the species barrier against HIV-1 infection in mouse cells. Front. Microbiol. 4: 377, 2013.
- 23) Koyama T, Arias JF, Iwabu Y, Yokoyama M., Fujita, H., Sato, H., and Tokunaga, K (corresponding author). APOBEC3G oligomerization is associated with the inhibition of both Alu and LINE-1 retrotransposition. PLoS ONE. 8: e84228, 2013.
- 24) Fujii K, Nagata N, Sato Y, Ong KC, Wong KT, Yamayoshi S, Shimanuki M, Shitara H, Taya C, Koike S. Transgenic mouse model for the study of enterovirus 71 neuropathogenesis. Proc Natl Acad Sci U S A. 2013. 110:14753-14758.
- 25) Hayasaka D, Shirai K, Aoki K, Nagata N, Simantini DS, Kitaura K, Takamatsu Y, Gould E, Suzuki R, Morita K. TNF- α acts as an immunoregulator in the mouse brain by reducing the incidence of severe disease following Japanese encephalitis virus infection. PLoS One. 2013:e71643.
- 26) Yoshii K, Yamazaki S, Mottate K, Nagata N, Seto T, Sanada T, Sakai M, Kariwa H, Takashima I. Genetic and biological characterization of tick-borne encephalitis virus isolated from wild rodents in southern Hokkaido, Japan in 2008. Vector Borne Zoonotic Dis. 2013. 13:406-414.
- 27) Yoneda M, Georges-Courbot MC, Ikeda F, Ishii M,

- Nagata N, Jacquot F, Raoul H, Sato H, Kai C. Recombinant measles virus vaccine expressing the Nipah virus glycoprotein protects against lethal Nipah virus challenge. *PLoS One*. 2013;8:e58414.
- 28) Yoshii K, Moritoh K, Nagata N, Yokozawa K, Sakai M, Sasaki N, Kariwa H, Agui T, Takashima I. Susceptibility to flavivirus-specific antiviral response of Oas1b affects the neurovirulence of the Far-Eastern subtype of tick-borne encephalitis virus. *Arch Virol*. 2013;158:1039-1046.
- 29) Kotani O, Shirato K, Nagata N, Ikeda H, Takahashi K, Taguchi F. Neuropathogenesis of a mouse-adapted porcine epidemic diarrhea virus infection in suckling mice. *J Gen Virol*. 2013;94:831-836.
- 30) Takahashi T*, Maeda K*, Suzuki T, Ishido A, Shigeoka T, Tominaga T, Kamei T, Honda M, Ninomiya D, Sakai T, Senba T, Kaneyuki S, Sakaguchi S, Satoh A, Hosokawa T, Kawabe Y, Kurihara S, Izumikawa K, Kohno S, Azuma T, Suemori K, Yasukawa M, Mizutani T, Omatsu T, Katayama Y, Miyahara M, Ijuin M, Doi K, Okuda M, Umeki K, Saito T, Fukushima K, Nakajima K, Yoshikawa T, Tani H, Fukushi S, Fukuma A, Ogata M, Shimojima M, Nakajima N, Nagata N, Katano H, Fukumoto H, Sato Y, Hasegawa H, Yamagishi T, Oishi K, Kurane I, Morikawa S, Saijo M. The First Identification and Retrospective Study of Severe Fever with Thrombocytopenia Syndrome in Japan. *J Infect Dis*. 2014 Mar;209 (6):816-27. *Contributed equally to this work
- 31) Makino Y, Suzuki T, Hasebe R, Kimura T, Maeda A, Takahashi H, Sawa H. Establishment of tracking system for West Nile virus entry and evidence of microtubule involvement in particle transport. *J Virol Methods*. 2014 Jan;195:250-7.
- 32) Kobayashi S, Suzuki T, Igarashi M, Orba Y, Ohtake N, Nagakawa K, Niikura K, Kimura T, Kasamatsu H, Sawa H. Cysteine Residues in the Major Capsid Protein, Vp1, of the JC Virus Are Important for Protein Stability and Oligomer Formation. *PLoS ONE*. 2013 Oct;9(10):e76668.
- 33) Niikura K, Matsunaga T, Suzuki T, Kobayashi S, Yamaguchi H, Orba Y, Kawaguchi A, Hasegawa H, Kajino K, Ninomiya T, Ijiro K, Sawa H. Gold Nanoparticles as a Vaccine Platform: Influence of Size and Shape on Immunological Responses in Vitro and in Vivo. *ACS Nano*. 2013 May;7(5):3926-38.
- 34) Nakatsu Y, Ma X, Seki F, Suzuki T, Iwasaki M, Yanagi Y, Komase K, Takeda M. Intracellular transport of the measles virus ribonucleoprotein complex is mediated by Rab11A-positive recycling endosomes and drives virus release from the apical membrane of polarized epithelial cells. *J Virol*. 2013 Apr;87(8):4683-93.
- 35) Wang H, Yuan Z, Barnes E, Yuan M, Li C, Fu Y, Xia X, Li G, Newton P, Vongsouvath M, Klenerman P, Pybus OG, Murphy D, Abe K, Lu L. Eight novel hepatitis C virus genomes reveal the changing taxonomic structure of genotype 6. *J Gen Virol* 2013;94:76-80.
- 36) Pham VH, Nguyen TV, Nguyen TTT, Dang LD, Hoang NH, Nguyen TV, Abe K. Rubella epidemic in Vietnam: characteristic of rubella virus genes from pregnant women and their fetuses/newborns with congenital rubella syndrome. *J Clin Virol* 2013;57:152-6.
- 37) Nakajima N, Van Tin N, Sato Y, Thach HN, Katano H, Diep PH, Kumasaka T, Thuy NT, Hasegawa H, San LT, Kawachi S, Liem NT, Suzuki K, Sata T.: Pathological study of archival lung tissues from five fatal cases of avian H5N1 influenza in Vietnam. *Mod Pathol*. 2013;26(3):357-69.