

## 2. Department of Virology II

1. Arita M, Kilpatrick DR, Nakamura T, Burns CC, Bukbuk D, Oderinde SB, Oberste MS, Kew OM, Pallansch MA, Shimizu H. Development of an efficient entire-capsid-coding-region amplification method for direct detection of poliovirus from stool extracts. *J Clin Microbiol* 53: 73-78, 2015
2. Arita M. Phosphatidylinositol-4 kinase III beta and oxysterol-binding protein accumulate unesterified cholesterol on poliovirus-induced membrane structure. *Microbiology and Immunology*, 58: 239-256, 2014
3. Choi JE, Hur W, Kim JH, Li TZ, Lee EB, Lee SW, Kang W, Shin EC, Wakita T, Yoon SK. MicroRNA-27a modulates HCV infection in differentiated hepatocyte-like cells from adipose tissue-derived mesenchymal stem cells. *PLoS One*. 13;9(5):e91958. 2014
4. Daito T, Watashi K, Sluder A, Ohashi H, Nakajima S, Borroto-Esoda K, Fujita T, Wakita T. Cyclophilin inhibitors reduce phosphorylation of RNA-dependent protein kinase to restore expression of IFN-stimulated genes in HCV-infected cells. *Gastroenterology* 147(2): 463-472, 2014.
5. Dansako H, Hiramoto H, Ikeda M, Wakita T, Kato N. Rab18 is required for viral assembly of hepatitis C virus through trafficking of the core protein to lipid droplets. *Virology*. 462-463:166-74, 2014
6. Dennis FE, Fujii Y, Haga K, Damanka S, Lartey B, Agbemabiese CA, Ohta N, Armah GE, Katayama K: Identification of Novel Ghanaian G8P[6] Human-Bovine Reassortant Rotavirus Strain by Next Generation Sequencing. *PLoS One* 9(6):e100699. 2014
7. Esumi M, Ishibashi M, Yamaguchi H, Nakajima S, Tai Y, Kikuta S, Sugitani M, Takayama T, Tahara M, Takeda M, Wakita T. Transmembrane serine protease TMPRSS2 activates hepatitis C virus infection. *Hepatology*. 61(2):437-46, 2015
8. Fang L, Wang Z, Song S, Kataoka M, Ke C, Suzuki T, Wakita T, Takeda N, Li TC. Characterization of human bocavirus-like particles generated by recombinant baculoviruses. *J Virol Methods*. 207:38-44, 2014
9. Fujii Y, Nakagomi T, Nishimura N, Noguchi A, Miura S, Ito H, Doan YH, Takahashi T, Ozaki T, Katayama K, Nakagomi O: Spread and predominance in Japan of novel G1P[8] double-reassortant rotavirus strains possessing a DS-1-like genotype constellation typical of G2P[4] strains. *Infect Genet Evol*. 28:426-33, 2014
10. Fukuhara T, Wada M, Nakamura S, Ono C, Shiokawa M, Yamamoto S, Motomura T, Okamoto T, Okuzaki D, Yamamoto M, Saito I, Wakita T, Koike K, Matsuura Y. Amphipathic  $\alpha$ -helices in apolipoproteins are crucial to the formation of infectious hepatitis C virus particles. *PLoS Pathog*. 11;10(12):e1004534. 2014
11. Hiramoto H, Dansako H, Takeda M, Satoh S, Wakita T, Ikeda M, Kato N. Annexin A1 negatively regulates viral RNA replication of hepatitis C virus. *Acta Med Okayama*. 69(2):71-8. 2015
12. Ishibashi M, Morita N, Nomura-Kawaguchi C, Shimizu Y, Wakita T, Esumi M. CLEC4M-positive and CD81-negative Huh7 cells are not susceptible to JFH-1 HCVcc infection but mediate transinfection. *Arch Virol*.159(11):2949-55. 2014
13. Islam MJ, Hikosaka K, Noritake H, Uddin MK, Amin MB, Aoto K, Wu YX, Sato E, Kobayashi Y, Wakita T, Miura N. Pol I-transcribed hepatitis C virus genome RNA replicates, produces an infectious virus and leads to severe hepatic steatosis in transgenic mice. *Biomed Res*. 36(3):159-67. 2015
14. Iwamoto M, Watashi K, Tsukuda S, Aly HH, Fukasawa M, Fujimoto A, Suzuki R, Aizaki H, Ito T,

- Koiwai O, Kusuvara H, [Wakita T](#). Evaluation and identification of hepatitis B virus entry inhibitors using HepG2 cells overexpressing a membrane transporter NTCP. *Biochem Biophys Res Commun* 443(3): 808-813, 2014.
15. Jiang X, Kanda T, Wu S, Nakamoto S, [Wakita T](#), Shirasawa H, Yokosuka O. Hepatitis C virus nonstructural protein 5A inhibits thapsigargin-induced apoptosis. *PLoS One*. ; 9(11): e113499. 2014
  16. Jiang X, Kanda T, Wu S, Nakamoto S, Saito K, Shirasawa H, [Kiyohara T](#), [Ishii K](#), [Wakita T](#), Okamoto H, Yokosuka O. Suppression of La Antigen Exerts Potential Antiviral Effects against Hepatitis A Virus. *PLOS One*, 9, e101993, 2014
  17. [Katayama K](#), [Murakami K](#), Sharp TM, Guix S, [Oka T](#), [Takai-Todaka R](#), Nakanishi A, Crawford SE, Atmar RL, Estes MK. Plasmid-based human norovirus reverse genetics system produces reporter-tagged progeny virus containing infectious genomic RNA. *Proc Natl Acad Sci U S A*. 111(38):E4043-52, 2014
  18. [Kim S](#), [Date T](#), [Yokokawa H](#), [Kono T](#), [Aizaki H](#), Maurel P, Gondeau C, [Wakita T](#). Development of hepatitis C virus genotype 3a cell culture system. *Hepatology*. 60(6):1838-50. 2014
  19. Komoto S, Pongsuwanna Y, Ide T, Wakuda M, Guntapong R, [Dennis FE](#), [Haga K](#), [Fujii Y](#), [Katayama K](#), Taniguti K. Whole genomic analysis of porcine G10P[5] rotavirus strain P343 provides evidence for bovine-to-porcine interspecies transmission. *Veterinary Microbiology* 174, 577-583, 2014.
  20. Komoto S, Wandera Apondi E, Shah M, Odoyo E, Nyangao J, Tomita M, Wakuda M, Maeno Y, [Shirato H](#), Tsuji T, Ichinose Y, Taniguchi K. Whole genomic analysis of human G12P[6] and G12P[8] rotavirus strains that have emerged in Kenya: Identification of porcine-like NSP4 genes. *Infection, Genetic s and Evolution*, 27, 277-293, 2014
  21. Kondo Y, Ninomiya M, Kimura O, Machida K, Funayama R, Nagashima T, Kobayashi K, Kakazu E, [Kato T](#), Nakayama K, Lai MM, Shimosegawa T. HCV infection enhances Th17 commitment, which could affect the pathogenesis of autoimmune diseases. *PLoS One* 9(6), e98521, 2014.
  22. [Li TC](#), Yang T, [Yoshizaki S](#), Ami Y, Suzaki Y, [Ishii K](#), Haga K, Nakamura T, Ochiai S, [Wakita T](#), John R. Construction and characterization of an infectious cDNA clone of rat hepatitis E virus. *Journal of General Virology* 96:1320-7, 2015
  23. [Li TC](#), Yang T, [Shiota T](#), [Yoshizaki S](#), [Yoshida H](#), Saito M, Imagawa T, Malbas F, Lupisan S, Oshitani H, [Wakita T](#), [Ishii K](#). Molecular detection of hepatitis E virus in rivers in the Philippines. *American Journal of Tropical Medicine and Hygiene*, 90: 764-766, 2014
  24. [Li TC](#), Fukumoto H, Hasegawa H, [Wakita T](#), Saeki H, Suzuki T, Katano H. Seroprevalence of trichodysplasia spinulosa-associated polyomavirus in Japan. *J Clin Virol*. 65:76-82, 2015
  25. [Li TC](#), Iwasaki K, Katano H, Kataoka M, Nagata N, Kobayashi K, Mizutani T, Takeda M, [Wakita T](#), Suzuki T. Characterization of Self-assembled Virus-like Particles of Merkel Cell Polyomavirus. *PLOS ONE*, 10(2):e0115646, 2015
  26. [Li TC](#), Yang T, Ami Y, Suzaki Y, Shirakura M, Kishida N, Asanuma H, Takeda N, and [Wakita T](#). Full Genome of Ferret Hepatitis E Virus from Laboratory Ferrets. *Emerg Infect Dis*. 20(4):709-12, 2014
  27. [Li TC](#), Yonemitsu K, Terada Y, Takeda N, [Wakita T](#) and Maeda K. Ferret hepatitis E virus infection in Japan. *JJID* 68(1).60-62, 2015
  28. Li Y, [Masaki T](#), Shimakami T, Lemon SM. hnRNP L and NF90 interact with hepatitis C virus 5'-terminal untranslated RNA and promote efficient replication.

- J Virol 88(13): 7199-7209, 2014.
29. Lin CM, Gao X, Oka T, Vlasova AN, Esseili MA, Wang Q, Saif LJ. Antigenic relationships among porcine epidemic diarrhea virus and transmissible gastroenteritis virus strains. J Virol. 89 (6): 3332-42, 2015
  30. Liu X, Saito M, Sayama Y, Suzuki E, Malbas FF, Galang HO, Furuse Y, Saito M, Li TC, Suzuki A, Oshitani H. Seroprevalence and molecular characteristics of hepatitis E virus in household-raised pig population in Philippines. BMC Vet Res. 11(1):11, 2015
  31. Masaki T, Arend KC, Li Y, Yamane D, McGivern DR, Kato T, Wakita T, Moorman NJ, Lemon SM. miR-122 stimulates hepatitis C virus RNA synthesis by altering the balance of viral RNAs engaged in replication versus translation. Cell Host Microbe 17(2): 217-228, 2015.
  32. Masaki T, Matsunaga S, Takahashi H, Nakashima K, Kimura Y, Ito M, Matsuda M, Murayama A, Kato T, Hirano H, Endo Y, Lemon SM, Wakita T, Sawasaki T, Suzuki T. Involvement of hepatitis C virus NS5A hyperphosphorylation mediated by casein kinase I- $\alpha$  in infectious virus production. J Virol 88(13): 7541-7555, 2014.
  33. Masuda T, Nagai M, Yamasato H, Tsuchiaka S, Okazaki S, Katayama Y, Oba M, Nishiura N, Sassa Y, Omatsu T, Furuya T, Koyama S, Shirai J, Taniguchi K, Fujii Y, Todaka R, Katayama K, Mizutani T: Identification of novel bovine group A rotavirus G15P[14] strain from epizootic diarrhea of adult cows by de novo sequencing using a next-generation sequencer. Vet Microbiol 171(1-2):66-73, 2014
  34. Matsuda M, Suzuki R, Kataoka C, Watashi K, Aizaki H, Kato N, Matsuura Y, Suzuki T, Wakita T. Alternative endocytosis pathway for productive entry of hepatitis C virus. J Gen Virol 95(Pt12):2658-2667, 2014.
  35. McGivern DR, Masaki T, Williford S, Ingravallo P, Feng Z, Lahser F, Asante-Appiah E, Neddermann P, De Francesco R, Howe AY, Lemon SM. Kinetic analyses reveal potent and early blockade of hepatitis C virus assembly by NS5A inhibitors. Gastroenterology 147(2): 453-462, 2014.
  36. Munakata T, Inada M, Tokunaga Y, Wakita T, Kohara M, Nomoto A. Suppression of hepatitis C virus replication by cyclin-dependent kinase inhibitors. Antiviral Res. 108:79-87, 2014
  37. Naeem A, Hosomi T, Nishimura Y, Alam MM, Oka T, Zaidi SS, Shimizu H. Genetic diversity of circulating Saffold viruses in Pakistan and Afghanistan. J Gen Virol 95: 1945-1957, 2014
  38. Nakai M, Seya T, Matsumoto M, Shimotohno K, Sakamoto N, Aly HH. The J6JFH1 strain of hepatitis C virus infects human B-cells with low replication efficacy. Viral Immunol 27(6): 285-94, 2014.
  39. Ogura N, Watashi K, Noguchi T, Wakita T. Formation of covalently closed circular DNA in Hep38.7-Tet cells, a tetracycline inducible hepatitis B virus expression cell line. Biochem Biophys Res Commun 452(3): 315-321, 2014.
  40. Oka T, Saif LJ, Marthaler D, Esseili MA, Meulia T, Lin CM, Vlasova AN, Jung K, Zhang Y, Wang Q. Cell culture isolation and sequence analysis of genetically diverse US porcine epidemic diarrhea virus strains including a novel strain with a large deletion in the spike gene. Vet Microbiol. 173 (3-4): 258-69, 2014
  41. Oka T, Saif LJ, Yang Z, Scheuer KA, Stoltzfus GT, Wang Q. First Complete Genome Sequences of Genogroup VI Porcine Sapoviruses Genome Announc. 2 (2).2014

42. [Oka T](#), Takagi H, Tohya Y. Development of a novel single step reverse genetics system for feline calicivirus. *J Virol Methods*. 207:178-81, 2014
43. [Oka T](#), Wang Q, [Katayama K](#), Saif LJ. Comprehensive review of human sapoviruses. *Clin Microbiol Rev*. 28 (1): 32-53, 2015
44. Okitsu S, Khamrin P, Thongprachum A, Kalesaran AF, Takanashi S, [Shimizu H](#), Maneekarn N, Mizuguchi M, Hayakawa S, Ushijima H. Molecular characterization and sequence analysis of the 2B region of Aichivirus C strains in Japan and Thailand. *Infect Genet Evol* 26: 89-94, 2014
45. Okitsu S, Khamrin P, Thongprachum A, Nishimura S, Kalesaran AF, Takanashi S, [Shimizu H](#), Hayakawa S, Mizuguchi M, Ushijima H. Detection and molecular characterization of human cosavirus in a pediatric patient with acute gastroenteritis, Japan. *Infect Genet Evol* 28: 125-129, 2014
46. Saito K, Shirasago Y, Suzuki T, [Aizaki H](#), Hanada K, [Wakita T](#), Nishijima M, Fukasawa M. Targeting cellular squalene synthase, an enzyme essential for cholesterol biosynthesis, is a potential antiviral strategy against hepatitis C virus. *J Virol*. 89(4):2220-32, 2015
47. Sato A, Kameyama K, Nagai M, Tateishi K, Ohmori K, Todaka R, [Katayama K](#), Mizutani T, Yamakawa M, Shirai J. Complete Genome Sequence of Bovine Viral Diarrhea Virus 2 Japanese Reference and Vaccine Strain KZ-91CP. *Genome Announc*. 3(1). pii: e01573-14, 2015
48. Sato S, Li K, Kameyama T, Hayashi T, Ishida Y, Murakami S, Watanabe T, Iijima S, Sakurai Y, [Watashi K](#), Tsutsumi S, Sato Y, Akita H, [Wakita T](#), Rice CM, Harashima H, Kohara M, Tanaka Y, Takaoka A. The RNA sensor RIG-I dually functions as an innate sensor and direct antiviral factor for hepatitis B virus. *Immunity* 42(1):123-32, 2015
49. Selitsky SR, Baran-Gale J, Honda M, Yamane D, [Masaki T](#), Fannin EE, Guerra B, Shirasaki T, Shimakami T, Kaneko S, Lanford RE, Lemon SM, Sethupathy P. Small tRNA-derived RNAs are increased and more abundant than microRNAs in chronic hepatitis B and C. *Sci Rep* 5: 7675, 2015.
50. Shibata S, Sekizuka T, Kodaira A, Kuroda M, [Haga K](#), [Doan YH](#), [Takai-Todaka R](#), [Katayama K](#), [Wakita T](#), [Oka T](#), Hirata H. Complete Genome Sequence of a Novel GV.2 Sapovirus Strain, NGY-1, Detected from a Suspected Foodborne Gastroenteritis Outbreak. *Genome Announc*. 3(1). pii: e01553-14, 2015
51. [Shimizu H](#), Nakashima K. Surveillance of hand, foot, and mouth disease for a vaccine. *Lancet Infect. Dis*. 14(4), 262-3, 2014
52. Shiokawa M, Fukuhara T, Ono C, Yamamoto S, Okamoto T, [Watanabe N](#), [Wakita T](#), Matsuura Y. Novel permissive cell lines for complete propagation of hepatitis C virus. *J Virol*. 88(10):5578-94, 2014
53. [Shiota T](#), [Li TC](#), [Yoshizaki S](#), [Kato T](#), [Wakita T](#), [Ishii K](#). Establishment of hepatitis E virus infection-permissive and -non-permissive human hepatoma PLC/PRF/5 subclones. *Microbiol Immunol* 59(2):89-94, 2015
54. Shirasago Y, Sekizuka T, Saito K, Suzuki T, [Wakita T](#), Hanada K, Kuroda M, Abe R, Fukasawa M. Isolation and characterization of an Huh.7.5.1-derived cell clone highly permissive to hepatitis C virus. *Jpn J Infect Dis*. 68(2):81-8, 2015
55. [Shirato H](#), [Someya Y](#), Ochiai M, Horiuchi Y, Takahashi M, Takeda N, Wakabayashi K, Ouchi Y, Ota Y, Tano Y, Abe S, Yamazaki S, [Wakita T](#), [sIPV Evaluation Group of NIID Virology II](#). A national reference for inactivated polio vaccine derived from Sabin strains in Japan. *Vaccine* 32: 5163-5169, 2014
56. Sugiyama K, Ebinuma H, Nakamoto N, Sakasegawa N, Murakami Y, Chu PS, Usui S, Ishibashi Y, Wakayama Y, Taniki N, Murata H, Saito Y,

- Fukasawa M, Saito K, Yamagishi Y, Wakita T, Takaku H, Hibi T, Saito H, Kanai T. Prominent steatosis with hypermetabolism of the cell line permissive for years of infection with hepatitis C virus. *PLoS One*. 9(4):e94460, 2014
57. Sugiyama N, Murayama A, Suzuki R, Watanabe N, Shiina M, Liang TJ, Wakita T, Kato T. Single strain isolation method for cell culture-adapted hepatitis C virus by end-point dilution and infection. *PLoS One* 9(5): e98168, 2014.
58. Sung PS, Murayama A, Kang W, Kim MS, Yoon SK, Fukasawa M, Kondoh M, Kim JS, Kim H, Kato T, Shin EC. Hepatitis C virus entry is impaired by claudin-1 downregulation in diacylglycerol acyltransferase-1-deficient cells. *J Virol*. 88(16): 9233-9244, 2014.
59. Tang J, Yoshida H, Ding Z, Tao Z, Zhang J, Tian B, Zhang L. Molecular Epidemiology and Recombination of Human Enteroviruses from AFP surveillance in Yunnan, China from 2006 to 2010. *Scientific reports*, 4: 6058, 2014
60. Tanida I, Shirasago Y, Suzuki R, Abe R, Wakita T, Hanada K, Fukasawa M. Caffeic acid, a coffee-related organic acid, inhibits the propagation of hepatitis C virus. *Jpn J Infect Dis*. 68:268-275, 2015.
61. Tsukuda S, Watashi K, Iwamoto M, Suzuki R, Aizaki H, Okada M, Sugiyama M, Kojima S, Tanaka Y, Mizokami M, Li J, Tong S, Wakita T. Dysregulation of retinoic acid receptor diminishes hepatocyte permissiveness to hepatitis B virus infection through modulation of sodium taurocholate cotransporting polypeptide (NTCP) expression. *J Biol Chem*. 290(9):5673-84, 2015
62. Wang H, Tao Z, Li Y, Lin X, Yoshida H, Song L, Zhang Y, Wang S, Cui N, Xu W, Song Y, Xu A. Environmental Surveillance of Human Enteroviruses in Shandong Province, China, 2008-2012: Serotypes, Temporal Fluctuation and Molecular Epidemiology. *Appl Environ Microbiol*. 80(15): 4683-4691, 2014
63. Watashi K, Sluder A, Daito T, Matsunaga S, Ryo A, Nagamori S, Iwamoto M, Nakajima S, Tsukuda S, Borroto-Esoda K, Sugiyama M, Tanaka Y, Kanai Y, Kusuhara H, Mizokami M, Wakita T. Cyclosporin A and its analogs inhibit hepatitis B virus entry into cultured hepatocytes through targeting a membrane transporter, sodium taurocholate cotransporting polypeptide (NTCP). *Hepatology* 59(5): 1726-1737, 2014.
64. Watashi K, Urban S, Li W, Wakita T. NTCP and beyond: opening the door to unveil hepatitis B virus entry. *Int J Mol Sci* 15(2): 2892-2905, 2014.
65. Wright PF, Wieland-Alter W, Ilyushina NA, Hoen AG, Arita M, Boesch AW, Ackerman ME, van der Avoort, MH, Oberste S, Pallansch MA, Burton AH, Jaffar MA, and Sutter RW. Intestinal immunity is a determinant of clearance of poliovirus after oral vaccination. *Journal of Infectious Diseases*, 209: 1628-1634, 2014
66. Xeuatvongsa A, Komada K, Kitamura T, Vongphrachanh P, Pathammavong C, Phounphenghak K, Sisouk T, Phonekeo D, Sengkeopaseuth B, Som-Oulay V, Ishii K, Wakita T, Sugiyama M, Hachiya M. Chronic Hepatitis B Prevalence among Children and Mothers: Results from a Nationwide, Population-Based Survey in Lao People's Democratic Republic. *PLoS One*, 9, e88829, 2014