

#### **4. Department of Bacteriology I**

- 1) Iguchi A, Iyoda S, Seto K, Morita-Ishihara T, Scheutz F, Ohnishi M; Pathogenic *E. coli* Working Group in Japan. *Escherichia coli* O-Genotyping PCR: a Comprehensive and Practical Platform for Molecular O Serogrouping. *J Clin Microbiol.* 2015, 53(8): 2427-32.
- 2) Harada T, Iguchi A, Iyoda S, Seto K, Taguchi M, Kumeda Y. Multiplex Real-Time PCR Assays for Screening of Shiga Toxin 1 and 2 Genes, Including All Known Subtypes, and *Escherichia coli* O26-, O111-, and O157-Specific Genes in Beef and Sprout Enrichment Cultures. *J Food Prot.* 2015, 78(10), 1800-11.
- 3) Sakai T, Sawai T, Shimizu Y, Morimune T, Okuda Y, Maruo Y, Iyoda S, Takeuchi Y. *Escherichia coli* O121:H19 infection identified on microagglutination assay and PCR. *Pediatr Int.* 2015, 57(5), 1001-3.
- 4) Akiba M, Senba H, Otagiri H, Prabhasankar VP, Taniyasu S, Yamashita N, Lee K, Yamamoto T, Tsutsui T, Ian Joshua D, Balakrishna K, Bairy I, Iwata T, Kusumoto M, Kannan K, Guruge KS. Impact of wastewater from different sources on the prevalence of antimicrobial-resistant *Escherichia coli* in sewage treatment plants in South India. *Ecotoxicol Environ Saf.* 2015, 115: 203-8.
- 5) Diep TT, Nguyen NT, Nguyen TN, An HK, Nguyen TQ, Nguyen VH, Nguyen TV, Nguyen TN, Izumiya H, Ohnishi M, Yamashiro T, Nguyen LT. Isolation of New Delhi metallo-β-lactamase 1-producing *Vibrio cholerae* non-O1, non-O139 strain carrying *ctxA*, *st* and *hly* genes in southern Vietnam. *Microbiol Immunol.* 2015 May;59(5):262-7. doi: 10.1111/1348-0421.12248. PubMed PMID: 25683557.
- 6) Saitoh T, Morita M, Shimada T, Izumiya H, Kanayama A, Oishi K, Ohnishi M, Sunagawa T. Increase in paratyphoid fever cases in Japanese travellers returning from Cambodia in 2013. *Epidemiology and Infection.* 2016, 114(3): 602-606
- 7) Klionsky, DJ et al. Guidelines for the use and interpretation of assays for monitoring autophagy (3rd edition). *Autophagy.* 12:1-222. (2016)
- 8) Rinchai, D., Riyapa, D., Buddhis, S., Utispan, K., Titball, R. W., Stevens, M. P., Stevens, J. M., Ogawa M, Tanida, I., Koike, M., Uchiyama, Y., Ato, M., Lertmemongkolchai, G., Macroautophagy is essential for killing of intracellular *Burkholderia pseudomallei* in human neutrophils. *Autophagy.* 11:748-55. (2015)
- 9) Chang B, Nariai A, Sekizuka T, Akeda Y, Kuroda M, Oishi K, Ohnishi M. Capsule switching and antimicrobial resistance acquired during repeated *Streptococcus pneumoniae* pneumonia episodes. *Journal of Clinical Microbiology.* 2015. 53:3318-3324.
- 10) Suga S, Chang B, Asada K, Akeda H, Nishi J, Okada K, Wakiguchi H, Maeda A, Oda M, Ishiwada N, Saitoh A, Oishi T, Hosoya M, Togashi T, Oishi K, Ihara T.
- 11) Nationwide population-based surveillance of invasive pneumococcal disease in Japanese children: Effects of the seven-valent pneumococcal conjugate vaccine. *Vaccine.* 2015. 33:6054-6060.
- 12) Nakano S, Fujisawa T, Ito Y, Chang B, Suga S, Noguchi T, Yamamoto M, Matsumura Y, Nagao M, Takakura S, Ohnishi M, Ihara T, Ichiyama S. Serotypes, antimicrobial susceptibility, and molecular epidemiology of invasive and non-invasive *Streptococcus pneumoniae* isolates in paediatric patients after the introduction of 13-valent conjugate vaccine in a nationwide surveillance study conducted in Japan in 2012-2014. *Vaccine.* 2016. 34:67-76.
- 13) Ikebe T, Chiba K, Shima T, Masuda C, Okuno R, Ohya H, Ogata K, Katsukawa C, Kawahara R, Tominaga K, Yabata J, Tada Y, Okabe N, Watanabe H, Chang B, Ogawa M, Ohnishi M; Working group for beta-hemolytic streptococci in Japan. Evaluation of streptococcal toxic shock-like syndrome caused by group B *streptococcus* in adults in Japan between 2009 and 2013. *Journal of Infection and Chemotherapy.* 2015. 21:207-211.
- 14) Akata K, Chang B, Yatera K, Kawanami T, Yamasaki K, Naito K, Noguchi S, Ishimoto H, Mukae H. Distribution and annual changes in *Streptococcus pneumoniae* serotypes in adult Japanese patients with pneumonia. *Journal of Infection and Chemotherapy.* 2015. 21:723-728.
- 15) Nakano S, Matsumura Y, Ito Y, Fujisawa T, Chang B, Suga S, Kato K, Yunoki T, Hotta G, Noguchi T, Yamamoto M, Nagao M, Takakura S, Ohnishi M, Ihara T, Ichiyama S. Development and evaluation of MALDI-TOF MS-based serotyping for *Streptococcus pneumoniae*. *European Journal of Clinical Microbiology and Infectious Diseases.* 2015. 34:2191-2198.
- 16) Matsubara K, Maihara T, Chang B. Ultra-late onset meningitis caused by serotype IX group B *Streptococcus*. *The Pediatric Infectious Disease Journal.* 2015. 34:801.
- 17) Naito S, Tanaka J, Nagashima K, Chang B, Hishiki H, Takahashi Y, Oikawa J, Nagasawa K, Shimojo N, Ishiwada

- N. The impact of heptavalent pneumococcal conjugate vaccine on the incidence of childhood community-acquired pneumonia and bacteriologically confirmed pneumococcal pneumonia in Japan. *Epidemiology and Infection*. 2015; 30:1-13.
- 18) Kaneko M, Maruta M, Shikata H, Hanayama M, Ikebe T. Acute abdomen due to group A streptococcus bacteremia caused by an isolate with a mutation in the *csrS* gene. *J Infect Chemother*. 2015; 21 (11): 816-819.
- 19) Tomizawa Y, Hoshino Y, Sasaki F, Kurita N, Kawajiri S, Noda K, Hattori N, Amemura-Mackawa J, Kura F, Okuma Y. Diagnostic Utility of Splenial Lesions in a Case of Legionnaires' Disease due to *Legionella pneumophila* Serogroup 2. *Intern Med*. 2015; 54(23): 3079-3082.
- 20) Andoh M, Sakata A, Takano A, Kawabata H, Fujita H, Une Y, Goka K, Kishimoto T, Ando S. *Rickettsia* and *Ehrlichia* detection from exotic animal-associated hard ticks. *PLoS One* 2015. 10(7): e0133700.
- 21) Gatzmann F, Metzler D, Krebs S, Blum H, Sing A, Takano A, Kawabata H, Fingerle V, Margos G, Becker NS. NGS population genetics analyses reveal divergent evolution of a Lyme Borreliosis agent in Europe and Asia. *Ticks and Tick-borne Diseases*. 2015. 6 (3): 344-351.
- 22) Murase Y, Konnai S, Yamada S, Githaka N, Isezaki M, Ito T, Takano A, Ando S, Kawabata H, Murata S, Ohashi K. An investigation of binding ability of *Ixodes persulcatus* Schulze Salp15 with Lyme disease spirochetes. *Insect Biochemistry and Molecular Biology* 2015. 60: 59-67.
- 23) Kutsuna S, Kawabata H, Ohmagari N. Imported Lyme disease. *Internal Medicine*. 2015. 54(6): 691.
- 24) Oda S, Kabeya H, Sato S, Shimonagane A, Inoue K, Hayashidani H, Takada N, Fujita H, Kawabata H, Maruyama S. Isolation of pathogenic *Yersinia enterocolitica* 1B/O:8 in from *Apodemus* mice in Japan. *Journal of Wildlife Diseases* 51(1):260-264, 2015.
- 25) Lee DK, Kim EJ, Kilgore PE, Kim SA, Takahashi H, Ohnishi M, Anh DD, Dong BQ, Kim JS, Tomono J, Miyamoto S, Notomi T, Kim DW, Seki M. Clinical Evaluation of a Loop-Mediated Isothermal Amplification (LAMP) Assay for Rapid Detection of *Neisseria meningitidis* in Cerebrospinal Fluid. *Plos One* 10(4):e0122922, 2015.
- 26) Takahashi H, Yanagisawa T, Kim KS, Yokoyama S, Ohnishi M. Multiple Functions of Glutamate Uptake via Meningococcal GltT-GltM L-Glutamate ABC Transporter in *Neisseria meningitidis* Internal Internalization into Human Brain Microvascular Endothelial Cells. *Infect Immun* 83: 3555-3567, 2015.
- 27) Yanagisawa T, Takahashi H, Suzuki T, Masuda A, Dohmae N, Yokoyama S. *Neisseria meningitidis* Translation Elongation Factor P and Its Active-Site Arginine Residue Are Essential for Cell Viability. *Plos One* 11(2): e0147907, 2016.
- 28) Lee DK, Kim EJ, Kilgore P, Takahashi H, Ohnishi M, Tomono J, Miyamoto S, Omagari D, Kim DW and Seki M. A Novel Loop-Mediated Isothermal Amplification Assay for Serogroup Identification of *Neisseria meningitidis* in Cerebrospinal Fluid. *Frontiers in Microbiology* 6:1548, 2016.
- 29) Villanueva MA, Mingala CN, Gloriani NG, Yanagihara Y, Isoda N, Nakajima C, Suzuki Y, Koizumi N. Investigation of *Leptospira* infection and its circulation in one intensive-type water buffalo farm in the Philippines. *Jpn J Vet Res*. 2016. 64 (1):15–24.
- 30) Shiokawa K, Gamage CD, Koizumi N, Sakoda Y, Shimizu K, Tsuda Y, Yoshimatsu K, Arikawa J. Evaluation of truncated LipL32 expressed by *Escherichia coli* and *Pichia pastoris* for serodiagnosis of *Leptospira* infection in rodents. *J Vet Med Sci*. 2016. 78 (2):221–230.
- 31) Koizumi N, Izumiya H, Mu JJ, Arent Z, Okano S, Nakajima C, Suzuki Y, Mizutani Muto M, Tanikawa T, Taylor TR, Komatsu N, Yoshimatsu K, Ha HTT, Ohnishi M. Multiple-locus variable-number tandem repeat analysis of *Leptospira interrogans* and *Leptospira borgpetersenii* isolated from small feral and wild mammals in East Asia. *Infect Gen Evol*. 2015. 36: 434–440.
- 32) Matono T, Kutsuna S, Koizumi N, Fujitani Y, Takeshita N, Hayakawa K, Kanagawa S, Kato Y, Ohmagari N. Imported flood-related leptospirosis from Palau: Awareness of risk factors leads to early treatment. *J Travel Med*. 2015. 22 (6): 422–424.
- 33) Satou K, Shimoji M, Tamotsu H, Juan A, Ashimine N, Shinzato M, Toma C, Nohara T, Shiroma A, Nakano K, Teruya K, Terabayashi Y, Ohki S, Koizumi N, Okano S, Suzuki T, Hirano T. Complete genome sequences of low-Passage virulent and high-Passage avirulent variants of pathogenic *Leptospira interrogans* serovar Manilae strain UP-MMC-NIID, originally isolated from a patient with severe leptospirosis, determined using PacBio single

- molecule, real-time technology. *Genome Announc.* 2015. 3 (4): e00882-15.
- 34) Fujita R, Koizumi N, Sugiyama H, Tomizawa R, Sato R, Ohnishi M. Comparison of bacterial burden and cytokine gene expression in golden hamsters in early phase of infection with two different strains of *Leptospira interrogans*. *PLoS ONE* 2015. 10 (7): e0132694.
- 35) Kitashoji E, Koizumi N, Lacuesta TLV, Usuda D, Ribo MR, Tria ES, Go WS, Kojiro M, Parry CM, Dimaano EM, Villarama JB, Ohnishi M, Suzuki M, Ariyoshi K. Diagnostic accuracy of recombinant immunoglobulin-like protein A-based IgM ELISA for the early diagnosis of leptospirosis in the Philippines. *PLoS Neglected Trop Dis.* 2015. 9 (6): e0003879.
- 36) Saitoh H, Koizumi N, Seto J, Ajitsu S, Fujii A, Takasaki S, Yamakage S, Aoki S, Nakayama K, Ashino Y, Chagan-Yasutan H, Kiyomoto H, Hattori T. Leptospirosis in the Tohoku region: re-emerging infections disease. *Tohoku J Exp Med.* 2015. 236 (1): 33-37.
- 37) Ogawa H, Koizumi N, Ohnuma A, Mutemwa A, Hang'ombe BM, Mweene AS, Takada A, Sugimoto C, Suzuki Y, Kida H, Sawa H. Molecular epidemiology of pathogenic *Leptospira* spp. in the straw-colored fruit bat (*Eidolon helvum*) migrating to Zambia from the Democratic Republic of Congo. *Infect Gen Evol.* 32: 143-147, 2015.
- 38) Shimuta K, Watanabe, Y, Nakayama, S, Morita-Ishihara T, Kuroki T, Unemo M, and Ohnishi M. Emergence and evolution of internationally disseminated cephalosporin-resistant Neisseria gonorrhoeae clones from 1995 to 2005 in Japan. *BMC infectious dis.* 2015; 15:378
- 39) Shaughnessy J, Gulati S, Agarwal S, Unemo M, Ohnishi M, Su XH, Monks BG, Visintin A, Madico G, Lewis LA, Golenbock DT, Reed GW, Rice PA, Ram S. A Novel Factor H-Fc Chimeric Immunotherapeutic Molecule against *Neisseria gonorrhoeae*. *J Immunol.* 196 1732-1740, 2016.
- 40) Gulati S, Schoenhofen IC, Whitfield DM, Cox AD, Li J, St Michael F, Vinogradov EV, Stupak J, Zheng B, Ohnishi M, Unemo M, Lewis LA, Taylor RE, Landig CS, Diaz S, Reed GW, Varki A, Rice PA, Ram S. Utilizing CMP-Sialic Acid Analogs to Unravel *Neisseria gonorrhoeae* Lipooligosaccharide-Mediated Complement Resistance and Design Novel Therapeutics. *PLoS Pathog.* 11(12): e1005290, 2015.
- 41) Kobayashi T, Kutsuna S, Hayakawa K, Kato Y, Ohmagari N, Uryu H, Yamada R, Kashiwa N, Nei T, Ehara A, Takei R, Mori N, Yamada Y, Hayasaka T, Kagawa N, Sugawara M, Suzuki A, Takahashi Y, Nishiyama H, Morita M, Izumiya H, Ohnishi M. Case Report: An Outbreak of Food-Borne Typhoid Fever Due to *Salmonella enterica* Serotype Typhi in Japan Reported for the First Time in 16 Years. *Am J Trop Med Hyg.* 2016 Feb;94(2):289-91.
- 42) Ogura Y, Mondal SI, Islam MR, Mako T, Arisawa K, Katsura K, Ooka T, Gotoh Y, Murase K, Ohnishi M, Hayashi T. The Shiga toxin 2 production level in enterohemorrhagic *Escherichia coli* O157:H7 is correlated with the subtypes of toxin-encoding phage. *Sci Rep.* 2015 Nov 16;5:16663.
- 43) Rashid MU, Rashed SM, Islam T, Johura FT, Watanabe H, Ohnishi M, Alam M. CtxB1 outcompetes CtxB7 in *Vibrio cholerae* O1, Bangladesh. *J Med Microbiol.* 2016 Jan;65(1):101-3
- 44) Tada A, Watanabe M, Senpuku H. Factors affecting changes in compliance with infection control practice by dentists in Japan. *American Journal of Infection Control.* 2015. 43(1): 95-97.
- 45) Ohsumi T, Takenaka S, Wakamatsu R, Sakaue Y, Narisawa N, Senpuku H, Ohshima H, Terao Y, Okiji T. Residual structure of *Streptococcus mutans* biofilm following complete disinfection favors secondary bacterial adhesion and biofilm re-development. *PLoS ONE.* 2015. 10(1): e0116647.
- 46) Ito T, Senpuku H, Ichinosawa T, Ikematsu-Ito N, Kimura N, Shimizu T. SspB peptide assay reveals saliva-mediated *Porphyromonas gingivalis* attachment. *Open Journal of Stomatology.* 2015. 5(11): 259-267.
- 47) Merritt J, Senpuku H, Kreth J, Let there be bioluminescence – 1 Development of a biophotonic imaging platform for in situ analyses of oral biofilms in animal models. *Environmental Microbiology.* 2016. 18(1):174-190.
- 48) Kawarai T, Narisawa N, Suzuki Y, Nagasawa R, Senpuku H. *Streptococcus mutans* biofilm formation is dependent on extracellular DNA in primary low pH condition. *Journal of Oral Biosciences.* 2016. 58(2): 55-61.
- 49) Bai D, Nakao R, Ito A, Uematsu H, Senpuku H : Immunoreactive antigens recognized in serum samples from mice intranasally immunized with *Porphyromonas*

*gingivalis* outer membrane vesicles : Pathogens and Disease.

2015 April 73(3). pii: ftu006.

50) Kariu T, Nakao R, Ikeda T, Nakashima K, Potempa J, and Imamura T : Inhibition of gingipains and *Porphyromonas gingivalis* growth and biofilm formation by prenylated flavonoids : Journal of Periodontal Research.

2016 Feb.doi:10.1111/jre.12372