

4. Department of Bacteriology I

- 1) Murai M, Moriyama H, Hata E, Takeuchi F, Amemura-Maekawa J. Variation and association of fibronectin-binding protein genes *fnbA* and *fnbB* in *Staphylococcus aureus* Japanese isolates. *Microbiol Immunol.* 2016. 60:312-25.
- 2) Kuroki T, Amemura-Maekawa J, Ohya H, Furukawa I, Suzuki M, Masaoka T, Aikawa K, Hibi K, Morita M, Lee K, Ohnishi M, Kura F. Outbreak of Legionnaire's disease caused by *Legionella pneumophila* serogroups 1 and 13. *Emerg Infect Dis.* 2017. 23:349-351.
- 3) Ikebe T, Matsumura T, Nihonmatsu H, Ohya H, Okuno R, Mitsui C, Kawahara R, Kameyama M, Sasaki M, Shimada N, Ato M, Ohnishi M. Spontaneous mutations in *Streptococcus pyogenes* isolates from streptococcal toxic shock syndrome patients play roles in virulence. *Sci Rep* 2016, 6: 28761. doi:10.1038/srep28761
- 4) Suzuki J, Hashino M, Matsumoto S, Takano A, Kawabata H, Takada N, Andoh M, Oikawa Y, Kajita H, Uda A, Watanabe K, Shimizu S, Watari M. Detection of *Francisella tularensis* and analysis of bacterial growth in ticks in Japan. *Letter in Applied Microbiology.* 2016. 63(4): 240-246.
- 5) Sakakibara Y, Sen E, Sato K, Kawabata H, Ohashi N, Masuzawa T. Detection and characterization of emerging relapsing fever pathogen, *Borrelia miyamotoi*, from *Ixodes ricinus* tick on rural Trakya (Thrace) region of north western Turkey. *Vector-borne and Zoonotic Diseases.* 2016. 16(12): 797-799.
- 6) Hotta A, Tanabayashi K, Fujita O, Shindo J, Park CH, Kudo N, Hatai H, Oyamada T, Yamamoto Y, Takano A, Kawabata H, Sharma N, Uda A, Yamada A, Morikawa S. Survey of *Francisella tularensis* in Wild Animals in the Endemic Areas in Japan. *Japanese Journal of Infectious Diseases.* 2016. 69(5): 431-434.
- 7) Oba M, Omatsu T, Takano A, Fujita H, Sato K, Nakamoto A, Takahashi M, Takada N, Kawabata H, Ando S, Mizutani T. A Novel Bunyavirus Isolated from the soft tick, *Argas vespertilionis*, in Japan. *Journal of Veterinary Medical Science.* 2016. 79(3): 443-445.
- 8) Khasnatinov MA, Danchinova GA, Takano A, Kawabata H, Masuzawa T. Prevalence of *Borrelia miyamotoi* in *Ixodes persulcatus* in Irkutsk Region, Russia. *Ticks and Tick-borne Diseases.* 2016. 7(2): 394-397.
- 9) Toyomane K, Konnai S, Niwa A, Githaka WN, Isezaki M, Yamada S, Ito T, Takano A, Ando S, Kawabata H, Murata S, Ohashi K. Identification and the preliminary in vitro characterization of IRIS homologue from salivary glands of *Ixodes persulcatus* Schulze. *Ticks Tick-Borne Dis.* 2016. 7(1): 119-125.
- 10) Kim KS, Inoue K, Kabeya H, Sato S, Takada T, Pangjai D, Qiu SH, Fujita H, Kawabata H, Takada N, Kariwa H, Maruyama S. Prevalence and diversity of *Bartonella* species in wild small mammals in Asia. *Journal of Wildlife Diseases.* 2016. 52(1): 10-21.
- 11) Nakayama S, Shimuta K, Furubayashi K, Kawahata T, Unmeo M, Ohnishi M. New ceftriaxone- and multidrug-resistant *Neisseria gonorrhoeae* strain with a novel mosaic *penA* gene isolated in Japan. *Antimicrob Agents Chemother.* 60:4339-4341. 2016.
- 12) Itoh N, Katano H, Nakayama S, Kurai H. Gastric syphilis. *Internal Medicine.* In press (Oct 2016 accepted).
- 13) Akther F, Neogi SB, Chowdhury WB, Sadique A, Islam A, Akhter MZ, Johura FT, Ohnishi M, Watanabe H, Boucher Y, Alam M. Major tdh (+) *Vibrio parahaemolyticus* serotype changes temporally in the Bay of Bengal estuary of Bangladesh. *Infect Genet Evol.* 2016 41:153-9.
- 14) Unemo M, Golparian D, Sánchez-Busó L, Grad Y, Jacobsson S, Ohnishi M, Lahra MM, Limnios A, Sikora AE, Wi T, Harris SR. The novel 2016 WHO *Neisseria gonorrhoeae* reference strains for global quality assurance of laboratory investigations: phenotypic, genetic and reference genome characterization. *J Antimicrob Chemother.* 2016 71; 3096-310.
- 15) Ishikane M, Arima Y, Itoda I, Takahashi T, Yamagishi T, Matsui T, Sunagawa T, Oishi K, Ohnishi M. Responding to the syphilis outbreak in Japan: piloting a questionnaire to evaluate potential risk factors for incident syphilis infection among men who have sex with men in Tokyo, Japan, 2015. *Western Pac Surveill Response J.* 2016;7:36-39.
- 16) Johura FT, Parveen R, Islam A, Sadique A, Rahim MN, Monira S, Khan AR, Ahsan S, Ohnishi M, Watanabe H, Chakraborty S, George CM, Cravioto A, Navarro A, Hasan B, Alam M. Occurrence of Hybrid *Escherichia coli* Strains Carrying Shiga Toxin and Heat-Stable Toxin in Livestock of Bangladesh. *Front Public Health.* 2017 4:287.
- 17) Tsuboi M, Koizumi N, Hayakawa K, Kanagawa S, Ohmagari N, Kato Y. Imported *Leptospira licerasiae*

- infection in traveler returning to Japan from Brazil. *Emerg Infect Dis.* 2017; 23(3):548–549.
- 18) Villanueva MA, Mingala CN, Balbin MM, Nakajima C, Isoda N, Suzuki Y, Koizumi N. Molecular epidemiology of pathogenic *Leptospira* spp. among large ruminants in the Philippines. *J Vet Med Sci.* 2016; 78(11):1649–1655.
- 19) Iwasaki H, Chagan-Yasutan H, Leano PS, Koizumi N, Nakajima C, Taurustiati D, Hanan F, Lacuesta TL, Ashino Y, Suzuki Y, Gloriani NG; Telan EF, Hattori T. Combined antibody and DNA detection for early diagnosis of leptospirosis after a disaster. *Diagn Microbiol Infect Dis.* 2016; 84(4):287–91.
- 20) Senpuku H, Miyazaki H, Yoshihara A, Yoneda S, Narisawa N, Kawarai T, Nakagawa N, Miyachi M, Tada A, Yoshida G, Shimada M, Ohashi M, Nishimuta M, Kimura Y, Yoshitake Y. CD56^{dim}CD16^{high} and CD56^{bright}CD16⁺ cell percentages associated with maximum knee extensor strength and incidence of death in elderly. *SpringerPlus.* 2016; 5: 244.
- 21) Kawarai T, Narisawa N, Yoneda S, Tsutsumi Y, Ishikawa J, Hoshino Y, Senpuku H, Inhibition of *Streptococcus mutans* biofilm formation using extracts from Assam tea compared to green tea, *Archives of Oral Biology*, 2016, 68:73-82.
- 22) Nakao R, Dongying D, Ohnishi M, Hasegawa H, Senpuku H. Assessment of outer membrane vesicles of *Porphyromonas gingivalis* as a mucosal immunogen candidate for development of periodontal disease vaccine. *Vaccine.* 2016; 34(38):4626–4634.
- 23) Obana N, Nakao R, Nagayama K, Nakamura K, Senpuku H, Nomura N. Immunoactive clostridial membrane vesicle production is regulated by a sporulation factor. *Infect and Immunity.* 2017; 21: 85(5)
- 24) Kosaka M, Senpuku H, Hagiwara A, Nomura Y, Hanada N. Oral infection, periodontal diseases and cytokine production in adults with down syndrome. *Medical Research Archives.* 2017; 5: 1-16.
- 25) Ichinosawa T, Ito T, Yonezawa H, Senpuku K, Shimizu T, Molecular interaction of the analogous peptide SspB(390-T400K-402) derived from *Streptococcus gordonii* surface protein peptide with periodontal bacteria. *International Journal of Oral Medical Science.* 2017; 15: 160-167.
- 26) Nagasawa R, Sato T, Senpuku H. Raffinose induces biofilm formation by *Streptococcus mutans* in low concentrations of sucrose by increasing production of extracellular DNA and fructan. *Applied Environmental Microbiology.* 2017. in press.
- 27) Nakao R, Hasegawa H, Bai D, Ohnish M, Senpuku H: Assessment of outer membrane vesicles of periodontopathic bacterium *Porphyromonas gingivalis* as possible mucosal immunogen : Vaccine. 2016; 34(38):4626-34
- 28) Kariu T, Nakao R, Ikeda T, Nakashima K, Potempa J, Imamura T : Inhibition of gingipains and *Porphyromonas gingivalis* growth and biofilm formation by prenylated flavonoids : *Journal of Periodontal Research.* 2017; 52(1):89-96.
- 29) Mitobe J, Sinha R, Mitra S, Nag D, Saito N, Shimuta K, Koizumi N, Koley H: An attenuated *Shigella* mutant lacking the RNA-binding protein Hfq provides cross protection against *Shigella* strains of broad serotype PLoS Negl Trop Dis. 2017 Jul 20;11(7):
- 30) Fukusumi M, Kamiya H, Takahashi H, Kanai M, Hachisu Y, Saitoh T, Ohnishi M, Oishi K, Sunagawa T. National surveillance for meningococcal disease in Japan, 1999-2014. *Vaccine* 2016 34(34):4068-71
- 31) Lee DK, Kim EJ, Kilgore P, Takahashi H, Ohnishi M, Tomono J, Miyamoto S, Omagari D, Kim DW, Seki M. A Novel Loop-Mediated Isothermal Amplification Assay for Serogroup Identification of *Neisseria meningitidis* in Cerebrospinal Fluid. *Frontiers in Microbiology* 2016; 6:1548.
- 32) Yanagisawa T, Takahashi H, Suzuki T, Masuda A, Dohmae N, Yokoyama S. *Neisseria meningitidis* Translation Elongation Factor P and Its Active-Site Arginine Residue Are Essential for Cell Viability. *Plos One* 2016 11(2): e0147907.
- 33) Takahashi H, Haga M, Sunagawa T, Saitoh T, Kitahara T, Matsumoto S, Ohnishi M. Meningococcal carriage rates in healthy individuals in Japan determined using Loop-Mediated Isothermal Amplification and oral throat wash specimens. *J Infect Chemother.* 2016; 22(7):501-4.
- 34) Njamkepo E, Fawal N, Tran-Dien A, Hawkey J, Strockbine N, Jenkins C, Talukder KA, Bercion R, Kuleshov K, Kolínská R, Russell JE, Kaftyрева L, Accou-Demartin M, Karas A, Vandenberg O, Mather AE, Mason CJ, Page AJ, Ramamurthy T, Bizet C, Gamian A, Carle I, Sow AG, Bouchier C, Wester AL, Lejay-Collin M, Fonkoua MC, Hello SL, Blaser MJ, Jernberg C, Ruckly C,

- Mérens A, Page AL, Aslett M, Roggentin P, Fruth A, Denamur E, Venkatesan M, Bercovier H, Bodhidatta L, Chiou CS, Clermont D, Colonna B, Egorova S, Pazhani GP, Ezernitchi AV, Guigon G, Harris SR, Izumiya H, Korzeniowska-Kowal A, Lutyńska A, Gouali M, Grimont F, Langendorf C, Marejková M, Peterson LA, Perez-Perez G, Ngandjio A, Podkolzin A, Souche E, Makarova M, Shipulin GA, Ye C, Žemličková H, Herpay M, Grimont PA, Parkhill J, Sansonetti P, Holt KE, Brisse S, Thomson NR, Weill FX. Global phylogeography and evolutionary history of *Shigella dysenteriae* type 1. *Nat Microbiol.* 2016; 1:16027. doi: 10.1038/nmicrobiol.2016.27. PubMed PMID: 27572446.
- 35) Nguyen DT, Ngo TC, Le TH, Nguyen HT, Morita M, Arakawa E, Ohnishi M, Nguyen BM, Izumiya H. Molecular epidemiology of *Vibrio cholerae* O1 in northern Vietnam (2007-2009), using multilocus variable-number tandem repeat analysis. *J Med Microbiol.* 2016; 65(9):1007-12.
- 36) Tamamura Y, Uchida I, Tanaka K, Nakano Y, Izumiya H, Takahashi T, Kikuchi N. A case study on *Salmonella enterica* serovar Typhimurium at a dairy farm associated with massive sparrow death. *Acta Vet Scand.* 2016; 58:23.
- 37) Chiou CS, Izumiya H, Kawamura M, Liao YS, Su YS, Wu HH, Chen WC, Lo YC. The worldwide spread of ciprofloxacin-resistant *Shigella sonnei* among HIV-infected men who have sex with men, Taiwan. *Clin Microbiol Infect.* 2016; 22(4):383.e11-6.
- 38) Nguyen VH, Pham HT, Diep TT, Phan CD, Nguyen TQ, Nguyen NT, Ngo TC, Nguyen TV, Do QK, Phan HC, Nguyen BM, Ehara M, Ohnishi M, Yamashiro T, Nguyen LT, Izumiya H. *Vibrio cholerae* O1 El Tor from southern Vietnam in 2010 was molecularly distinct from that present from 1999 to 2004. *Epidemiol Infect.* 2016; 144(6):1241-7.
- 39) Nishiumi, F., Ogawa, M., Nakura, Y., Hamada, Y., Nakayama, M., Mitobe, J., Sakai, N., Hiraide, A., Takeuchi, M., Yoshimori, T. and Yanagihara, I. Intracellular fate of *Ureaplasma parvum* entrapped by host cellular autophagy. *Microbiology Open.* doi: 10.1002/mbo3.441 (2017)
- 40) Klionsky DJ, Ogawa, M. et al. Guidelines for the use and interpretation of assays for monitoring autophagy (3rd edition). *Autophagy.* 12:1-222. (2016)
- 40) Tsutsuki H, Yahiro K, Ogura K, Ichimura K, Iyoda S, Ohnishi M, Nagasawa S, Seto K, Moss J, Noda M. Subtilase cytotoxin produced by locus of enterocyte effacement-negative Shiga-toxigenic *Escherichia coli* induces stress granule formation. *Cell Microbiol.* 2016, 18(7), 1024-40.
- 41) Iguchi A, Iyoda S, Seto K, Nishii H, Ohnishi M, Mekata H, Ogura Y, Hayashi T. Six Novel O Genotypes from Shiga Toxin-Producing *Escherichia coli*. *Front Microbiol.* 2016, 7: 765.
- 42) Ishijima N, Lee KI, Kuwahara T, Nakayama-Imaohji H, Yoneda S, Iguchi A, Ogura Y, Hayashi T, Ohnishi M, Iyoda S. Identification of a New Virulent Clade in Enterohemorrhagic *Escherichia coli* O26:H11/H- Sequence Type 29. *Sci Rep.* 2017, 7: 43136.
- 43) Kabeya H, Sato S, Oda S, Kawamura M, Nagasaka M, Kuranaga M, Yokoyama E, Hirai S, Iguchi A, Ishihara T, Kuroki T, Morita-Ishihara T, Iyoda S, Terajima J, Ohnishi M, Maruyama S. Characterization of Shiga toxin-producing *Escherichia coli* from feces of sika deer (*Cervus nippon*) in Japan using PCR binary typing analysis to evaluate their potential human pathogenicity. *J Vet Med Sci.* 2017, 79(5): 834-41.
- 44) Ito S, Hanaoka N, Shimuta K, Seike K, Tsuchiya T, Yasuda M, Yokoi S, Nakano M, Ohnishi M, Deguchi T. Microbiological etiologies, including bacterial, viral, and protozoan species, and demographic and clinical features of male non-gonococcal urethritis. *International Journal of Urology.* 2016; 23: 325-331.
- 45) Morita-Ishihara T, Iyoda S, Iguchi A, Ohnishi M. Secondary Shiga Toxin-Producing *Escherichia coli* Infection, Japan, 2010-2012. *Emerg Infect Dis.* 22:2181-2184. 2016.
- 46) Matono T, Kato Y, Morita M, Izumiya H, Yamamoto K, Kutsuna S, Takeshita N, Hayakawa K, Mezaki K, Kawamura M, Konishi N, Mizuno Y, Kanagawa S, Ohmagari N. Case series of imported enteric fever at a referral center in Tokyo, Japan: antibiotic susceptibility and risk factors for relapse. *Am J Trop Med Hyg.* 95: 19-25. 2016.
- 47) Katanami Y, Kutsuna S, Morita M, Izumiya H, Ohnishi M, Yamamoto K, Takeshita N, Hayakawa K, Kanagawa S, Kato Y, Ohmagari N. Six cases of Paratyphoid fever due to *Salmonella* Paratyphi A in travelers returning from Myanmar between July 2014 and August 2015. *Am J Trop Med Hyg.* 95: 571-573. 2016.