

2. Department of Virology II

Infectious Diseases, 67: S42-S50, 2018

- 1) Athiyah AF, Utsumi T, Wahyuni RM, Dinana Z, Yamani LN, Soetjipto, Sudarmo SM, Ranuh RG, Darma A, Juniastuti, Raharjo D, Matsui C, Deng L, Abe T, Doan YH, Fujii Y, Shimizu H, Katayama K, Lusida MI, Shoji I. Molecular Epidemiology and Clinical Features of Rotavirus Infection Among Pediatric Patients in East Java, Indonesia During 2015-2018: Dynamic Changes in Rotavirus Genotypes From Equine-Like G3 to Typical Human G1/G3. *Front Microbiol* 10, 2019
- 2) Bai H, Shiota T, Yoshizaki S, Saito-Obata M, Malbas FF Jr, Lupisan SP, Oshitani H, Takeda N, Muramatsu M, Wakita T, Ishii K, Li TC. Detection of Subgenotype IA and IIIA Hepatitis A Viruses in Rivers Flowing through Metro Manila, the Philippines. 2018. *Jpn J Infect Dis.* 72:53-55. (2019)
- 3) Bauri M, Wilkinson AL, Ropa B, Feldon K, Snider CJ, Anand A, Tallis G, Boualam L, Grabovac V, Avagyan T, Reza MS, Mekonnen D, Zhang Z, Thorley BR, Shimizu H, Apostol LNG Takashima Y. Notes from the Field: Circulating Vaccine-Derived Poliovirus Type 1 and Outbreak Response - Papua New Guinea, 2018. *MMWR Morb Mortal Wkly Rep* 68: 119-120, 2019
- 4) Brickley EB, Wieland-Alter W, Connor RI, Ackerman ME, Boesch AW, Arita M, Weldon WC, O’Ryan MG, Bandyopadhyay AS, Wright PF. Intestinal Immunity to Poliovirus Following Sequential Trivalent Inactivated Polio Vaccine/Bivalent Oral Polio Vaccine and Trivalent Inactivated Polio Vaccine-only Immunization Schedules: Analysis of an Open-label, Randomized, Controlled Trial in Chilean Infants. *Clinical Infectious Diseases*, 67: S42-S50, 2018
- 5) Cooper G, Mao Q, Crawl L, Wang Y, Dougall T, Rigsby P, Liang Z, Xu M, Collaborative Study G, Minor P, Wang J Martin J. Establishment of the 1st WHO International Standard for anti-EV71 serum (Human). [Shimizu H, contributed as one of the Collaborative Study Group members] . *Biologicals* 53: 39-50, 2018
- 6) Deng L, Gan X, Ito M, Chen M, Ally HH, Matsui C, Abe T, Watashi K, Wakita T, Suzuki T, Okamoto T, Matsuura Y, Mizokami M, Shoji I, Hotta H. Peroxiredoxin 1, a Novel HBx-Interacting Protein, Interacts with Exosome Component 5 and Negatively Regulates Hepatitis B Virus (HBV) Propagation through Degradation of HBV RNA. *J Virol.* Mar 5;93(6): e02203-18 (2019).
- 7) Fujii Y, Doan YH, Suzuki Y, Nakagomi T, Nakagomi O, Katayama K. Study of Complete Genome Sequences of Rotavirus A Epidemics and Evolution in Japan in 2012-2014. *Front Microbiol.* 10:38, 2019
- 8) Fujii Y, Doan YH, Wahyuni RM, Lusida MI, Utsumi T, Shoji I, Katayama K. Improvement of Rotavirus Genotyping Method by Using the Semi-Nested Multiplex-PCR With New Primer Set. *Front Microbiol.* 2019, 10:647.
- 9) Fujii K, Sudaka Y, Takashino A, Kobayashi K, Kataoka C, Suzuki T, Iwata-Yoshikawa N, Kotani O, Ami Y, Shimizu H, Nagata N, Mizuta K, Matsuzaki Y, Koike S. VP1 amino acid residue 145 of enterovirus 71 is a key residue for its receptor attachment and resistance to neutralizing antibody during cynomolgus monkey infection. *J Virol* May 2018

- 10) [Fukano K⁺](#), [Tsukuda S⁺](#), [Watashi K](#), [Wakita T](#). Concept of Viral Inhibitors via NTCP. *Semin Liver Dis.* 2019. 39(1): 78-85. (+equally contributed)
- 11) [Fukano K](#), [Tsukuda S](#), [Oshima M](#), [Suzuki R](#), [Aizaki H](#), Ohki M, Park SY, [Muramatsu M](#), [Wakita T](#), Sureau C, Ogasawara Y, [Watashi K](#). Troglitazone impedes the oligomerization of sodium taurocholate cotransporting polypeptide and entry of hepatitis B virus into hepatocytes. *Front Microbiol.* 2019. 8; 9: 3257.
- 12) Funakoshi Y, Ito K, Morino S, Kinoshita K, Morikawa Y, Kono T, [Doan YH](#), [Shimizu H](#), Hanaoka N, Konagaya M, Fujimoto T, Suzuki A, Chiba T, Akiba T, Tomaru Y, Watanabe K, Shimizu N, Horikoshi Y. Enterovirus D68 respiratory infection in a children's hospital in Japan in 2015. *Pediatr Int.* 2019.
- 13) Hu J, Lin YY, Chen PJ, [Watashi K](#), [Wakita T](#). Cell and animal models for studying hepatitis B virus infection and drug development. *Gastroenterology* 156(2): 338-354 (2019)
- 14) Imagawa T, [Sugiyama R](#), [Shiota T](#), [Li TC](#), Yoshizaki S, [Wakita T](#), Ishii K. Evaluation of Heating Conditions for Inactivation of Hepatitis E Virus Genotypes 3 and 4. *J Food Prot.* 81:947-952 (2018)
- 15) [Iwamoto M](#), [Saso W](#), [Sugiyama R](#), Ishii K, Ohki M, Nagamori S, [Suzuki R](#), [Aizaki H](#), Ryo A, Yun JH, Park SY, Ohtani N, [Muramatsu M](#), Iwami S, Tanaka Y, Sureau C, [Wakita T](#), [Watashi K](#). Epidermal growth factor receptor is a host entry cofactor triggering hepatitis B virus internalization. *Proc Natl Acad Sci USA* 116(17): 8487-8492 (2019)
- 16) Kaneko M, Do LP, [Doan YH](#), Nakagomi T, Gauchan P, Agbemabiese CA, Dang AD, Nakagomi O. Porcine-like G3P[6] and G4P[6] rotavirus A strains detected from children with diarrhoea in Vietnam. *Arch Virol* 163:2261-2263, 2018
- 17) Kato T, Hasegawa M, Yamamoto T, Miyazaki T, [Suzuki R](#), [Wakita T](#), Suzuki T, Park EY. Expression of a functional intrabody against hepatitis C virus core protein in Escherichia coli and silkworm pupae. *Protein Expr Purif.* 150:61-66 (2018)
- 18) Kitagawa K, Kuniya T, Nakaoka S, Asai Y, [Watashi K](#), Iwami S. Mathematical analysis of a transformed ODE from a PDE multiscale model of hepatitis C virus infection. *Bull Math Biol* 81(5): 1427-1441 (2019)
- 19) Kitagawa K, Nakaoka S, Asai Y, [Watashi K](#), Iwami S. A PDE multiscale model of hepatitis C virus infection can be transformed to a system of ODEs. *J Theor Biol* 448: 80-85 (2018)
- 20) Kitamura K, [Que L](#), Shimadu M, Koura M, Ishihara Y, [Wakae K](#), Nakamura T, [Watashi K](#), [Wakita T](#), [Muramatsu M](#). Flap endonuclease 1 is involved in cccDNA formation in the hepatitis B virus. *PLoS Pathog* 14(6): e1007124 (2018)
- 21) [Li TC](#), Bai H, [Yoshizaki S](#), Ami Y, Suzaki Y, [Doan YH](#), Takahashi K, Mishihiro S, Takeda N, [Wakita T](#). Genotype 5 Hepatitis E Virus Produced by a Reverse Genetics System Has the Potential for Zoonotic Infection. *Hepatology Communications.* 1: 160–172. (2019)
- 22) [Matsuda M](#), Yamanaka A, [Yato K](#), Yoshii K, [Watashi K](#), [Aizaki H](#), Konishi E, Takasaki T, [Kato T](#),

- Muramatsu M, Wakita T, Suzuki R. High-throughput neutralization assay for multiple flaviviruses based on single-round infectious particles using dengue virus type 1 reporter replicon. *Sci Rep*. Nov 9;8(1):16624 (2018).
- 23) Momose H, Matsuoka S, Murayama A, Yamada N, Okuma K, Ikebe E, Hoshi Y, Muramatsu M, Wakita T, Toyota K, Kato T, Hamaguchi I. Evaluation of in vitro screening and diagnostic kits for hepatitis C virus infection. *J Clin Virol*. 105: 97-102 (2018).
- 24) Murayama A, Fujiwara K, Yamada N, Shiina M, Aly HH, Masaki T, Muramatsu M, Wakita T, Kato T. Evaluation of antiviral effects of novel NS5A inhibitors in hepatitis C virus cell culture system with full-genome infectious clones. *Antivir Res*. 158: 161–170 (2018).
- 25) Murayama A, Saitoh H, Takeuchi A, Yamada N, Matsumura T, Shiina M, Muramatsu M, Wakita T, Kato T. Vitamin D derivatives inhibit hepatitis C virus production through the suppression of apolipoprotein. *Antivir Res*. Dec;160:55-63 (2018).
- 26) Naito Y, Hamada-Tsutsumi S, Yamamoto Y, Yoshioka Y, Watashi K, Ochiya T, Tanaka Y. Screening of microRNAs for a repressor of hepatitis B virus replication. *Oncotarget* 9(52): 29857-29868 (2018)
- 27) Nio Y, Akahori Y, Okamura H, Watashi K, Wakita T, Hijikata M. Inhibitory effect of fasiglifam on hepatitis B virus infections through suppression of the sodium taurocholate cotransporting polypeptide. *Biochem Biophys Res Commun* 501: 820-825 (2018)
- 28) Ohashi H, Nishioka K, Nakajima S, Kim S, Suzuki R, Aizaki H, Fukasawa M, Kamisuki S, Sugawara F, Ohtani N, Muramatsu M, Wakita T and Watashi K. The aryl hydrocarbon receptor–cytochrome P450 1A1 pathway controls lipid accumulation and enhances the permissiveness for hepatitis C virus assembly. *J Biol Chem*. 293(51): 19559-19571. (2018)
- 29) Oka T, Iritani N, Yamamoto SP, Mori K, Ogawa T, Tatusmi C, Shibata S, Harada S, Wu FT. Broadly reactive real-time reverse transcription-polymerase chain reaction assay for the detection of human sapovirus genotypes. *J Med Virol*. 91(3):370-377, 2019.
- 30) Okumura A, Mori H, Fee Chong P, Kira R, Torisu H, Yasumoto S, Shimizu H, Fujimoto T, Tanaka-Taya K. Acute Flaccid Myelitis Collaborative Study I. Serial MRI findings of acute flaccid myelitis during an outbreak of enterovirus D68 infection in Japan. *Brain & Development* 2019
- 31) Passioura T, Watashi K, Fukano K, Shimura S, Saso W, Morishita R, Ogasawara Y, Tanaka Y, Mizokami M, Sureau C, Suga H, Wakita T. De Novo Macrocyclic Peptide Inhibitors of Hepatitis B Virus Cellular Entry. *Cell Chem Biol* 25(7): 906-915 (2018)
- 32) Saso W, Tsukuda S, Ohashi H, Fukano K, Morishita R, Matsunaga S, Ohki M, Ryo A, Park SY, Suzuki R, Aizaki H, Muramatsu M, Sureau C, Wakita T, Matano T, Watashi K. A new strategy to identify hepatitis B virus entry inhibitors by AlphaScreen technology targeting the envelope-receptor interaction. *Biochem Biophys Res Commun*. 501(2):374-379 (2018)

- 33) Sato H, Tanaka-Taya K, Shimizu H, Goto A, Tanaka S, Nakano T, Hotta C, Okazaki T, Itamochi M, Ito M, Okamoto-Nakagawa R, Yamashita Y, Arai S, Okuno H, Morino S, Oishi K. Polio vaccination coverage and seroprevalence of poliovirus antibodies after the introduction of inactivated poliovirus vaccines for routine immunization in Japan. *Vaccine* 37: 1964-1971, Mar 2019
- 34) Shiromoto F, Aly HH, Kudo H, Watashi K, Murayama A, Watanabe N, Zheng X, Kato T, Chayama K, Muramatsu M, Wakita T. IL-1b/ATF3-mediated induction of Ski2 expression enhances hepatitis B virus x mRNA degradation. *Biochem Biophys Res Commun* 503(3): 1854-1860 (2018)
- 35) Suzuki Y, Doan YH, Kimura H, Shinomiya H, Shirabe K, Sakon and Katayama K. Predicting directions of changes in genotype proportions between norovirus seasons in Japan. *Front Microbiol.* 2019
- 36) Takahashi S, Metcalf CJE, Arima Y, Fujimoto T, Shimizu H, Rogier van Doorn H, Le Van T, Chan YF, Farrar JJ, Oishi K Grenfell BT. Epidemic dynamics, interactions and predictability of enteroviruses associated with hand, foot and mouth disease in Japan. *Journal of the Royal Society, Interface* 152018. 2018
- 37) Takeuchi M, Fukushima W, Nakano T, Inui M, Ohfuji S, Kase T, Ito K, Kondo K, Maeda A, Shimizu H, Hirota Y. Nationwide Survey on Pediatric Inpatients of Hand, Foot and Mouth Disease, Herpangina, and Associated Complications during Epidemic Period in Japan: Estimated Number of Patients and Factors Associated with Severe Cases. *J Epidemiol* 2018
- 38) Takeuchi F, Ikeda S, Tsukamoto Y, Iwasawa Y, Qihao C, Otakaki Y, Ryota O, Yao WL, Narita R, Makoto H, Watashi K, Wakita T, Takeuchi K, Chayama K, Kogure A, Kato H, Fujita T. Screening for inhibitor of episomal DNA identified dicumarol as a hepatitis B virus inhibitor. *PLoS One* 14(2): e0212233 (2019)
- 39) Thongprachum A, Fujimoto T, Takanashi S, Saito H, Okitsu S, Shimizu H, Khamrin P, Maneekarn N, Hayakawa S, Ushijima H. Detection of nineteen enteric viruses in raw sewage in Japan. *Infect Genet Evol.* 63: 17-23, 2018
- 40) Tsukamoto Y, Ikeda S, Uwai K, Taguchi R, Chayama K, Sakaguchi T, Narita R, Yao WL, Takeuchi F, Otakaki Y, Watashi K, Wakita T, Kato H, Fujita T. Rosmarinic acid is a novel inhibitor for Hepatitis B virus replication targeting viral epsilon RNA-polymerase interaction. *PLoS One* 13(5): e0197664 (2018)
- 41) Ueno M, Nogawa M, Siddiqui R, Watashi K, Wakita T, Kato N, Ikeda M, Okimura T, Isaka S, Oda T, Ariumi Y. Acidic polysaccharides isolated from marine algae inhibit the early step of viral infection. *Int J Biol Macromol* 124: 282-290 (2018)
- 42) Utsumi T, Wahyuni RM, Doan YH, Dinana Z, Soegijanto S, Fujii Y, Juniastuti, Yamani LN, Matsui C, Deng L, Abe T, Soetjpto, Lusida MI, Ishii K, Shimizu H, Katayama K, Shoji I. Equine-like G3 rotavirus strains as predominant strains among children in Indonesia in 2015-2016. *Infect Genet Evol.* 61:224-228, 2018.
- 43) Wakae K, Nishiyama T, Kondo S, Izuka T, Que L, Chen C, Kase K, Kitamura K, Mohiuddin M, Wang Z,

Ahasan MM, Nakamura M, Fujiwara H, Yoshizaki T, Hosomochi K, Tajima A, Nakahara T, Kiyono T, Muramatsu M. Keratinocyte differentiation induces APOBEC3A, 3B, and mitochondrial DNA hypermutation Sci Rep. 2018 Jun 27;8(1):9745. doi: 10.1038/s41598-018-27930-z

- 44) Wang B, Ogata H, Takishima Y, Miyamoto S, Inoue H, Kuroda M, Yamada K, Hijikata Y, Murahashi M, Shimizu H, Okazaki T, Nakanishi Y Tani K. A Novel Combination Therapy for Human Oxaliplatin-resistant Colorectal Cancer Using Oxaliplatin and Coxsackievirus A11. *Anticancer Research* 38: 6121-6126, 2018
- 45) Yasuura M, Shirato H, Higo-Moriguchi K, Fujimaki M. Detection of norovirus-like particles with an external force-assisted near-field illumination biosensor. *Japanese Journal of Applied Physics*, 58, 071005-1-071005-5, 2019. 25)
- 46) Yamane D, Feng H, Rivera-Serrano EE, Selitsky SR, Hirai-Yuki A, Das A, McKnight KL, Misumi I, Hensley L, Lovell W, Gonzalez-Lopez O, Suzuki R, Matsuda M, Nakanishi H, Ohto-Nakanishi T, Hishiki T, Wauthier E, Oikawa T, Morita K, Reid LM, Sethupathy P, Kohara M, Whitmire JK, Lemon SM. Basal expression of interferon regulatory factor 1 drives intrinsic hepatocyte resistance to multiple RNA viruses. *Nature Microbiology*. 7:1096-1104. (2019)
- 47) Yang F, Duan S, Guo Y, Li Y, Yoshizaki S, Takeda N, Wakita T, Muramatsu M, Zhao Y, He Z, Li TC. Current status of hepatitis E virus infection at a rhesus monkey farm in China. *Vet Microbiol*. 230:244-248. (2019)