

Salmonella Typhi phage types from human sources, Japan, 2011
Phage typing : Department of Bacteriology I, NIID

As of 2012/6/20

Phage type	Prefecture/City	Number of isolates	Month of isolation	Drug-resistance	Visiting country
A	Osaka	1 (1)	2011. 3		Philippines
A	Oita City	1	2011. 6		
B1	Tokyo	1	2011. 9		Philippines
B1	Tokyo	1 (1)	2011. 9		
E1	Ishikawa	1 (1)	2011. 2	NA	India
E1	Ishikawa	1 (1)	2011. 4	NA	India
E1	Toyota City	1	2011. 5		
E1	Takatsuki City	1 (1)	2011. 6	NA	India
E1	Nagasaki City	1	2011. 6		
E1	Fukuoka City	1 (1)	2011. 6	NA	Nepal
E1	Fukuoka City	1 (1)	2011. 7	NA	Nepal
E1	Tokyo	1 (1)	2011.11	NA	India
E1	Tokyo	1 (1)	2011.12	NA	India
E9	Saitama	1 (1)	2011. 5	CP, SM, ABPC, SXT, NA	Bangladesh
E9	Okinawa	1 (1)	2011.10	CP, SM, ABPC, SXT, NA	Thailand, India, Pakistan, China, Vietnam, Cambodia
M1	Kobe City	1	2011.10		
DVS	Hiroshima	1	2011.10		
UVS1	Tokyou	1 (1)	2011. 5	NA	India
UVS4	Tokyo	1 (1)	2011. 7	NA	Nepal
UVS4	Tochigi	1 (1)	2011. 7	NA	Pakistan
UVS4	Tochigi	2 (2)	2011. 8	NA	Pakistan

(): Imported cases included in the total

UVS1 : Untypable Vi strain group-1

UVS4 : Untypable Vi strain group-4

CP: chloramphenicol SXT: sulfamethoxazole-trimethoprim

SM: streptomycin NA: nalidixic acid

ABPC: ampicillin



Infectious Agents Surveillance Report