

17. Infectious Disease Surveillance Center

- 1) Akeda Y, Koizumi Y, Takanami Y, Sumino S, Hattori Y, Sugisaki K, Mitsuya N, Oishi K. Comparison of serum bactericidal and antibody titers induced by two *Haemophilus influenzae* type b conjugate vaccines: a phase III randomized double-blind study. *Vaccine*. 2018; 36:1528-1532
- 2) Chong PF, Kira R, Mori H, Okumura A, Torisu H, Yasumoto S, Shimizu H, Fujimoto T, Hanaoka N, Kusunoki S, Takahashi T, Oishi K, Tanaka-Taya K; Acute Flaccid Myelitis Collaborative Study Investigators. Clinical Features of Acute Flaccid Myelitis Temporally Associated With an Enterovirus D68 Outbreak: Results of a Nationwide Survey of Acute Flaccid Paralysis in Japan, August-December 2015. *Clin Infect Dis*. 66(5):653-664, 2018
- 3) Folaranmi TA, Kretz CB, Kamiya H, MacNeil JR, Whaley MJ, Blain A, Antwi M, Dorsinville M, Pacilli M, Smith S, Civen R, Ngo V, Winter K, Harriman K, Wang X, Bowen VB, Patel M, Martin S, Misegades L, Meyer SA. Increased Risk for Meningococcal Disease among Men who have Sex with Men in the United States, 2012-2015. *Clin Infect Dis*. 2017 Sep 1; 65 (5): 756-763
- 4) Fukuda S, Ito S, Fujiwara M, Abe J, Hanaoka N, Fujimoto T, Katsumori H. Simultaneous development of Kawasaki disease following acute human adenovirus infection in monozygotic twins: A case report. *Pediatr Rheumatol Online J*. 2017 May 16;15 (1):39
- 5) Hachiya M, Miyano S, Mori Y Vynnycky E, Keungsaneth P, Vongphrachanh P, Xeuatvongsa A, Sisouk T, Som Oulay V, Khamphaphongphane B, Sengkeopaseuth B, Pathammavong C, Phounphenghak K, Kitamura T, Takeda M, Komase K. Evaluation of nationwide supplementary immunization in Lao People's Democratic Republic: Population-based seroprevalence survey of anti-measles and anti-rubella IgG in children and adults, mathematical modelling and a stability testing of the vaccine. *PloS One*. 2018 Mar 29;13(3) e0194931. doi: 10.1371/journal.pone.0194931. eCollection 2018
- 6) Hashimoto S, Gonzalez G, Harada S, Oosako H, Hanaoka N, Hinokuma R, Fujimoto T. Recombinant type Human mastadenovirus D85 associated with epidemic keratoconjunctivitis since 2015 in Japan. *J Med Virol*. 2018 May;90(5):881-889
- 7) Hattori F, Miura H, Sugata K, Yoshikawa A, Ihira M, Yahata Y, Kamiya H, Tanaka-Taya K, Yoshikawa T; Nagoya VZV study group. Evaluating the effectiveness of the universal immunization program against varicella in Japanese children. *Vaccine*. 2017 Sep 5; 35(37): 4936-4941
- 8) Iuliano AD, Roguski KM, Chang HH, Muscatello DJ, Palekar R, Tempia S, Cohen C, Gran JM, Schanzer D, Cowling BJ, Wu P, Kyncl J, Ang LW, Park M, Redlberger-Fritz M, Yu H, Espenhain L, Krishnan A, Emukule G, van Asten L, Pereira da Silva S, Aungkulanon S, Buchholz U, Widdowson MA, Bresee JS; Global Seasonal Influenza-associated Mortality Collaborator Network. Estimates of global seasonal influenza-associated respiratory mortality: a modelling study. *Lancet*. 2018 Mar 31;391(10127):1285-1300. doi: 10.1016/S0140-6736(17)33293-2. Epub 2017 Dec 14
- 9) Kanai M, Kamiya H, Smith-Palmer A, Takahashi H, Hachisu Y, Fukusumi M, Saitoh T, Ohnishi M, Sunagawa T, Matsui T, Oishi K. Meningococcal disease outbreak related to the World Scout Jamboree in Japan, 2015. *Western Pac Surveill Response J*. 2017 May 8; 8(2)
- 10) Kanou K, Arima Y, Kinoshita H, Ito H, Okuno H, Saito N, Sunagawa T, Kimura H, Matsui T, Oishi K. Respiratory syncytial virus surveillance system in Japan: assessment of recent trends, 2008-2015. *Jpn J Infect Dis*. 2018 May 24;71(3):250-255
- 11) Kanayama A, Arima Y, Matsui T, Kaku K, Kinoshita H, Oishi K. Epidemiology of Imported Malaria Cases in Japan, 2006-2014: A Sentinel Traveler Surveillance Approach. *Am J Trop Med Hyg*. 2017 Nov; 97(5):1532-1539. doi: 10.4269/ajtmh.17-0171
- 12) Kaneko M, Takanashi S, Thongprachum A, Hanaoka N, Fujimoto T, Nagasawa K, Kimura H, Okitsu S, Mizuguchi M, Ushijima H. Identification of vaccine-derived rotavirus strains in children with acute gastroenteritis in Japan, 2012-2015. *PLoS One*. 2017 Sep 13;12 (9): e0184067
- 13) Kataoka Y, Murakami K, Torii Y, Kimura H, Maeda-Mitani E, Shigemura H, Fujimoto S, Murakami S. Reduction of the prevalence of AmpC β -lactamase CMY-2 in *Salmonella* from chicken meat following cessation of the use of ceftiofur in Japan. *J Glob*

Antimicrob Resist. 2017 Sep; 10:10-11

- 14) Kimura K, Fukushima T, Katada N, Shimizu H, Nakamura T, Fujimoto T, Hanaoka N, Tanaka-Taya K, Makino K. Adult case of acute flaccid paralysis with enterovirus D68 detected in the CSF. *Neurol Clin Pract*. 2017 Oct;7(5):390-393
- 15) Kimura H, Nagasawa K, Kimura R, Tsukagoshi H, Matsushima Y, Fujita K, Hirano E, Ishiwada N, Misaki T, Oishi K, Kuroda M, Ryo A. Molecular evolution of the fusion protein (*F*) gene in human respiratory syncytial virus subgroup B. *Infect Genet Evol*. 2017 Aug; 52:1-9
- 16) Matsushima Y, Shimizu T, Doi I, Mizukoshi F, Nagasawa K, Ryo A, Shimizu H, Kobayashi M, Funatogawa K, Nagata N, Ishikawa M, Komane A, Okabe N, Mori Y, Takeda M, Kimura H. A method for detecting rash and fever illness-associated viruses using multiplex reverse transcription polymerase chain reaction. *Microbiol Immunol*. 2017 Aug;61(8):337-344
- 17) Miyakawa K, Nishi M, Matsunaga S, Okayama A, Anraku M, Kudoh A, Hirano H, Kimura H, Morikawa Y, Yamamoto N, Ono A, Ryo A. The tumor suppressor APC promotes HIV-1 assembly via interaction with Gag precursor protein. *Nat Commun*. 2017 Jan 30; 8:14259
- 18) Mizukoshi F, Nagasawa K, Doan YH, Haga K, Yoshizumi S, Ueki Y, Shinohara M, Ishikawa M, Sakon N, Shigemoto N, Okamoto-Nakagawa R, Ochi A, Murakami K, Ryo A, Suzuki Y, Katayama K, Kimura H. Molecular Evolution of the RNA-Dependent RNA Polymerase and Capsid Genes of Human Norovirus Genotype GII.2 in Japan during 2004–2015. *Front Microbiol*. 2017 Apr 25;8: 705
- 19) Mori S, Horita A, Ginnaga A, Miyatsu Y, Sawabe K, Matsumura T, Ato M, Yamamoto A, Shibayama K, Arai S, Yamagishi T, Takahashi M, Taki H, Hifumi T. Venom and Antivenom of the Redback Spider (*Latrodectus hasseltii*) in Japan. Part II. Experimental Production of Equine Antivenom against the Redback Spider. *Jpn J Infect Dis*. 2017 Nov 22; 70 (6):635-641
- 20) Mori Y, Miyoshi M, Kikuchi M, Sekine M, Umezawa M, Saikusa M, Matsushima Y, Itamochi M, Yasui Y, Kanbayashi D, Miyoshi T, Akiyoshi K, Tatsumi C, Zaitzu S, Kadoguchi M, Otsuki N, Okamoto K, Sakata M, Komase K, Takeda M. Molecular epidemiology of rubella virus strains detected around the time of the 2012-2013 epidemic in Japan. *Front Microbiol*. 2017. 9;8:1513. doi: 10.3389/fmicb.2017.01513. eCollection 2017
- 21) Motoya T, Nagasawa K, Matsushima Y, Nagata N, Ryo A, Sekizuka T, Yamashita A, Kuroda M, Morita Y, Suzuki Y, Sasaki N, Katayama K, Kimura H. Molecular evolution of the VP1 gene in human norovirus GII.4 variants in 1974–2015. *Front Microbiol*. 2017 Dec 5; 8:2399
- 22) Murakami K, Noda T, Onozuka D, Kimura H, Fujimoto S. Pulsed-field profile diversities of *Salmonella* Enteritidis, *S. Infantis*, and *S. Corvallis* in Japan. *Ital J Food Saf*. 2017 Sep 29;6(3):138-144
- 23) Murakami K, Maeda-Mitani E, Onozuka D, Noda T, Sera N, Kimura H, Fujimoto S, Murakami S. Simultaneous oral administration of *Salmonella* Infantis and *S. Typhimurium* in chicks. *Ir Vet J*. 2017 Aug 31;70: 27
- 24) Nagasawa K, Matsushima Y, Motoya T, Mizukoshi F, Ueki Y, Sakon N, Murakami K, Shimizu T, Okabe N, Nagata N, Shirabe K, Shinomiya H, Suzuki W, Kuroda M, Sekizuka T, Ryo A, Fujita K, Oishi K, Katayama K, Kimura H. Genetic analysis of human norovirus strains in Japan in 2016-17. *Front Microbiol*. 2018 Jan 18; 9:1
- 25) Nagasawa K, Matsushima Y, Motoya T, Mizukoshi F, Ueki Y, Sakon N, Murakami K, Shimizu T, Okabe N, Nagata N, Shirabe K, Shinomiya H, Suzuki W, Kuroda M, Sekizuka T, Ryo A, Fujita K, Oishi K, Katayama K, Kimura H. Phylogeny and immunoreactivity of human norovirus GII.P16-GII.2 detected in Japan during 2016-17, winter season. *Emerg Infect Dis*. 2018 Jan;24(1):144-148
- 26) Nakamura H, Fujisawa T, Suga S, Taniguchi K, Nagao M, Ito M, Ochiai H, Konagaya M, Hanaoka N, Fujimoto T. Species differences in circulation and inflammatory responses in children with common respiratory adenovirus infections. *J Med Virol*. 2018 May;90(5):873-880
- 27) Nishina A, Itagaki M, Sato D, Kimura H, Hirai Y, Phay N, Makishima M. The Rosiglitazone-Like Effects of Vitexilactone, a Constituent from *Vitex trifolia* L. in 3T3-L1 Preadipocytes. *Molecules*. 2017 Nov 22;22(11). pii: E2030
- 28) Nishina A, Itagaki M, Suzuki Y, Koketsu M, Ninomiya M, Sato D, Suzuki T, Hayakawa S, Kuroda M, Kimura H. Effects of flavonoids and triterpene analogues from

- leaves of *Eleutherococcus sieboldianus* (Makino) Koidz. 'Himeukogi' in 3T3-L1 preadipocytes. *Molecules*. 2017 Apr 22;22(4). pii: E671
- 29) Nishina A, Shimizu K, Koketsu M, Ninomiya M, Sato D, Suzuki T, Kimura H, Hayakawa S. 5,7-Dihydroxyflavone analogues may regulate lipopolysaccharide-induced inflammatory responses by suppressing IκBα-linked Akt and ERK5 phosphorylation in RAW 264.7 macrophages. *Evid Based Complement Alternat Med*. 2017; 2017:7898973
- 30) Ogi M, Yano Y, Chikahira M, Takai D, Oshibe T, Arashiro T, Hanaoka N, Fujimoto T, Hayashi Y. Characterization of genome sequences and clinical features of coxsackievirus A6 strains collected in Hyogo, Japan in 1999-2013. *J Med Virol*. 2017 Aug; 89(8):1395-1403
- 31) Ohdachi SD, Kinoshita G, Nasher AK, Yonezawa T, Arai S, Kikuchi E, Lin KS, Bawm S. Re-evaluation of the Phylogeny based on mitochondrial cytochrome b gene in the house shrew, *Suncus murinus-S. montanus* species complex, with special reference to Yemen and Myanmar populations. *J Wildl Biodiversity*. 2017;1(2):79-87
- 32) Okuno H, Yahata Y, Tanaka-Taya K, Arai S, Satoh H, Morino S, Shimada T, Sunagawa T, Uyeki TM, Oishi K. Characteristics and outcomes of influenza-associated encephalopathy cases among children and adults in Japan, 2010-2015. *Clin Infect Dis*. 2018 Jun 1; 66(12):1831-1837
- 33) Saitoh A, Saitoh A, Sato I, Shinozaki T, Kamiya H, Nagata S. Effect of stepwise perinatal immunization education: A cluster-randomized controlled trial. *Vaccine*. 2017 Mar 14; 35(12): 1645-1651
- 34) Saitoh A, Saitoh A, Sato I, Shinozaki T, Kamiya H, Nagata S. Improved parental attitudes and beliefs through stepwise perinatal vaccination education. *Hum Vaccin Immunother*. 2017 Nov 2;13(11):2639-2645
- 35) Saraya T, Kimura H, Kurai D, Ishii H, Takizawa T. The molecular epidemiology of respiratory viruses associated with asthma attacks: a single-center observational study in Japan. *Medicine*. 2017 Oct;96(42): e8204
- 36) Saraya T, Kimura H, Kurai D, Tamura M, Ogawa Y, Mikura S, Sada M, Oda M, Watanabe T, Ohkuma K, Inoue M, Honda K, Watanabe M, Yokoyama T, Fujiwara M, Ishii H, Takizawa H. Clinical significance of respiratory virus detection in patients with acute exacerbation of interstitial lung diseases. *Respir Med*. 2018; 136:88-92
- 37) Saraya T, Nunokawa H, Ohkuma K, Watanabe T, Sada M, Inoue M, Honda K, Oda M, Ogawa Y, Tamura M, Yokoyama T, Kurai D, Kimura H, Ishii H, Goto H, Takizawa H. A novel diagnostic scoring system to differentiate between *Legionella pneumophila* pneumonia and *Streptococcus pneumoniae* pneumonia. *Inter Med*. Intern Med. 2018 Mar 30. doi: 10.2169/internalmedicine.0491-17
- 38) Saraya T, Ohkuma K, Watanabe T, Mikura S, Kobayashi F, Aso J, Nunokawa H, Honda K, Ogawa Y, Tamura M, Sada M, Oda M, Inoue M, Yokoyama T, Kurai D, Ishii H, Kimura H, Takizawa H. Diagnostic value of vascular endothelial growth factor, transforming growth factor-β, interleukin-8, and the ratio of lactate dehydrogenase to adenosine deaminase in pleural effusion. *Lung*. 2018 Jan 20. doi: 10.1007/s00408-018-0090-1
- 39) Somura Y, Mizukoshi F, Nagasawa K, Kimoto K, Oda M, Shinkai T, Murakami K, Sadamasu K, Katayama K, Kimura H. A food poisoning outbreak due to food handler-associated contamination with the human norovirus GII.P16-GII.2 variant strain in Italian cuisine in Tokyo during the 2016/17 winter season. *Jpn J Infect Dis*. 2018 Mar 22;71(2): 172-173
- 40) Saraya T, Watanabe T, Tsukahara Y, Ohkuma K, Ishii H, Kimura H, Yan K, Goto H, Takizawa H. Comparisons of Clinical and Radiological Findings between Child and Adult Patients with *Mycoplasma pneumoniae* Pneumonia: Scoring System Values on Chest X-Ray. *Intern Med*. 2017 Nov 1;56(21):2845-2849
- 41) Suzuki S, Kawamura T, Saeki Y, Okubo M, Konagaya M, Hanaoka N, Arashiro T, Fujimoto T, Uchio E. A Case of Type 54 Human Mastadenovirus Keratoconjunctivitis Causing Severe Broad Epithelial Defect Ten Years after LASIK Surgery. *Jpn J Infect Dis*. 2017 Sep 25;70(5):597-598
- 42) Izumi Y, Akazawa M, Akeda Y, Tohma S, Hirano F, Ideguchi H, Matsumura R, Miyamura T, Mori S, Fukui T, Iwanaga N, Jiuchi Y, Kozuru H, Tsutani H, Saisyo K, Sugiyama T, Suenaga Y, Okada Y, Katayama M, Ichikawa, Furukawa H, Kawakami K, Oishi K, Migita K. The 23-valent pneumococcal polysaccharide vaccine in

- patients with rheumatoid arthritis: a double-blinded, randomized, placebo-controlled trial. *Arthritis Research & Therapy*. 2017;19(1):15
- 43) Kerdsin A, Akeda Y, Takeuchi D, Dejsirlert S, Gottschalk M, Oishi K. Genotypic diversity of *Streptococcus suis* strains isolated from humans in Thailand. *Euro J Clin Microbiol*. 2018; 37:917-925
- 44) Miyahara R, Suzuki M, Morimoto K, Chang B, Yoshida S, Yoshinaga S, Kitamura M, Chikamori M, Oishi K, Kitamura T, Ishida M. Nosocomial outbreak of upper respiratory tract infection with β -lactamase-negative ampicillin-resistant non-typeable *Haemophilus influenzae*. *Infect Control and Hosp Epidemiol*. 2018;39(6):652-659
- 45) Okinaka K, Akeda Y, Kurosawa S, Fuji S, Tajima K, Oishi K, Fukuda T. Pneumococcal polysaccharide vaccination in allogenic hematopoietic stem cell transplantation recipients: a prospective single-center study. *Microb Infect*. 2017;19(11):553-559
- 46) Takada K, Komine-Aizawa S, Hirohata N, Trinh QD, Nishina A, Kimura H, Hayakawa S. Poly I:C induces collective migration of HaCaT keratinocytes via IL-8. *BMC Immunol*. 2017 Apr 24;18(1):19
- 47) Takahashi M, Nagasawa K, Saito K, Maisawa S, Fujita K, Murakami K, Kuroda M, Ryo A, Kimura H. Detailed genetic analyses of the HN gene in human respirovirus 3 detected in children with acute respiratory illness in the Iwate Prefecture, Japan. *Infect Genet Evol*. 2018; 59:155-162
- 48) Takahashi T, Arima Y, Yamagishi T, Nishiki S, Kanai M, Ishikane M, Matsui T, Sunagawa T, Ohnishi M, Oishi K. Rapid Increase in Reports of Syphilis Associated With Men Who Have Sex With Women and Women Who Have Sex With Men, Japan, 2012 to 2016. *Sex Transm Dis*. 2018 Mar;45(3):139-143. doi: 10.1097/OLQ.0000000000000768
- 49) Takeuchi D, Kerdsin A, Akeda Y, Chiranairadul P, Loetthong P, Tanburawong N, Areeratana P, Puangmalo P, Khamisara K, Pinyo W, Anukul R, Samechea S, Lekhalua P, Nakayama T, Yamamkoto K, Hirose M, Hamada S, Dejsirlert S, Oishi K. Impact of a food safety campaign on *Streptococcus suis* infection in humans in Thailand. *Am J Trop Med*. 2017;96(6):1370-1377
- 50) Tatsumi C, Iizuka S, Mita T, Wada M, Hanaoka N, Fujimoto T. The first identification of human adenovirus 57 (HAdV-57) in Japan. *Jpn J Infect Dis*. 2018 Apr 27. doi: 10.7883/yoken.JJID.2017.476. [Epub ahead of print]
- 51) Thongprachum A, Fujimoto T, Takanashi S, Saito H, Okitsu S, Shimizu H, Khamrin P, Maneekarn N, Hayakawa S, Ushijima H. Detection of nineteen enteric viruses in raw sewage in Japan. *Infect Genet Evol*. 2018 May 16; 63:17-23
- 52) Tsukahara-Kawamura T, Fujimoto T, Gonzalez G, Hanaoka N, Konagaya M, Arashiro T, Saeki Y, Uchio E. Epidemic keratoconjunctivitis cases resulting from adenovirus type 8 and 54 detected at Fukuoka University Hospital between 2014 and 2015. *Jpn J Infect Dis*. 2018 Apr 27. doi: 10.7883/yoken.JJID.2017.349. [Epub ahead of print]
- 53) Tsutsui R, Tsukagoshi H, Nagasawa K, Takahashi M, Matsushima Y, Ryo A, Kuroda M, Takami H, Kimura H. Genetic analyses of the fusion protein genes in human parainfluenza virus types 1 and 3 among patients with acute respiratory infections in Eastern Japan from 2011 to 2015. *J Med Microbiol*. 2017;66(2):160-168
- 54) Tu, V. T., Hassanin, A., Gorfol, T., Arai, S., Fukui, D., Thanh, H. T., Son, N. T., Furey, N. M., Csorba, G. Integrative taxonomy of the *Rhinolophus macrotis* complex (Chiroptera, Rhinolophidae) in Vietnam and nearby regions. *J Zool Syst Evol Res*. 2017; 55(3):177-198
- 55) Uemura T, Migita H, Ueno T, Tsukahara-Kawamura T, Saeki Y, Fujimoto T, Uchio E. Clinical and virological analysis of epidemic keratoconjunctivitis caused by adenovirus type 54 in a regional ophthalmic clinic in Kyushu, Japan. *Clin Ophthalmol*. 2018 Mar 19;12: 511-517
- 56) Utsumi T, Lusida MI, Dinana, Wahyuni RM, Yamani LN, Soetjipto J, Matsui C, Deng L, Abe T, Doan YH, Fujii Y, Kimura H, Katayama K, Shoji I. Occurrence of norovirus infection in an asymptomatic population in Indonesia. *Infect Genet Evol*. 2017 Nov; 55:1-7
- 57) Volleth, M., Nguyen Truong Son, Wu, Y., Li, Yu., Yu, W., Lin, L-K., Arai, S., Trifonov, V., Liehr, T., Harada, M. Comparative chromosomal studies in *Rhinolophus formosae* and *R. luctus* from China and Vietnam: elevation of *R. l. lanosus* to species rank. *Acta Chiropterologica*. 2017;19(1): 41–50

- 58) Watanabe A, Kobayashi Y, Shimada T, Yahata Y, Kobayashi A, Kanai M, Hachisu Y, Fukusumi M, Kamiya H, Takahashi T, Arima Y, Kinoshita H, Kanou K, Saitoh T, Arai S, Satoh H, Okuno H, Morino S, Matsui T, Sunagawa T, Tanaka-Taya K, Takeda M, Komase K, and Oishi K. Exposure to H1 genotype measles virus at an international airport in Japan on 31 July 2016 results in a measles outbreak. *Western Pac Surveill Response J*. 2017 Feb;8(1)
- 59) Yahata Y, Ohshima N, Odaira F, Nakamura N, Ichikawa H, Matsuno K, Shuri J, Toyozawa T, Terajima J, Watanabe H, Nakashima K, Sunagawa T, Taniguchi K, Okabe N. Web survey-based selection of controls for epidemiological analyses of a multi-prefectural outbreak of enterohaemorrhagic *Escherichia coli* O157 in Japan associated with consumption of self-grilled beef hanging tender. *Epidemiol Infect*. 2018 Mar; 146 (4):450-457
- 60) Yoshimatsu K, Arai S, Shimizu K, Tsuda Y, Boldgiv B, Boldbaatar B, Sergelen E, Ariunzaya D, Enkhmandal O, Tuvshintugs S, Morikawa S, Arikawa J. Antibody detection from Middendorf 's vole (*Microtus middendorffii*) against Tula virus captured in Mongolia. *Jpn J Vet Res*. 2017;65(1):39-44
- 61) Yoshitomi H, Sera N, Gonzalez G, Hanaoka N, Fujimoto T. First isolation of a new type of human adenovirus (genotype 79), species Human mastadenovirus B (B2) from sewage water in Japan. *J Med Virol*. 2017 Jul;89(7):1192-1200